

ANNUAL INDEX

Volume 38 2003

Author Index

A

Abad, J.-L., 865
Ackman, R.G., 299
Ahn, D.U., 505
Aitzetmuller, K., 1173
Akbar, M., 453
Akisawa, N., 519, 687
Aknin, M., 85
Alberghina, M., 45
Alexson, S.E.H., 957
Allison, D.B., 147
Alonso, J.M., 761
Alstrup, K.K., 513
Ambrose, S.H., 179
Andersson, R.G.G., 1057
Anfuso, C.D., 45
Araya, J., 275
Arimitsu, H., 1107
Armitage, J.A., 459
Arnold, L.E., 1007
Atlason, P.Th., 1127
Attar-Bashi, N.M., 665, 1113
Aubert, C., 241
Avato, P., 773
Aveldaño, M.I., 73
Awai, K., 1107

B

Bailey, A.L., 933
Barassi, M.C., 415
Bardi Community, the, 399
Barnathan, G., 85
Bartolini, G., 497
Basabe, J.C., 733
Baskaran, V., 705
Basu, S., 15, 133
Bauchart, D., 157
Bazinet, R.P., 187, 477, 1045, 1221
Beermann, C., 855
Beker, B., 1085
Bell, J.G., 723, 1031
Bell, M.V., 39, 925
Berge, R.K., 1023
Berger, R.G., 1075
Bernasconi, A.M., 733
Berne, C., 15
Biederman, J., 171
Bienkowski, T., 981
Binas, B., 491
Binford, P., 603
Blanchet, C., 359, 399
Block, J.-C., 1093

Boehm, G., 855
Boeuf, S., 1133
Bonen, A., 491
Bonin, P., 1085
Bordin, S., 1157
Borod, E., 407
Bottema, C.D.K., 539
Bouchard, G., 595
Boyle, R.M., 651
Brandsch, C., 31
Brenna, J.T., 425
Brenner, R.R., 733, 827
Bressers, M.A.J.J., 713
Bretillon, L., 957
Brock, B., 513
Brooks, W.M., 9
Budge, S.M., 781
Burgess, J.R., 1007

C

Cabanes, J., 677
Cadoret, A., 1093
Calder, P.C., 343
Calzada, C., 465
Campbell, P.J., 1031
Camps, F., 865
Cansell, M., 551
Carballeira, N.M., 769
Carlson, S.E., 407
Catalan, J.N., 431
Ceruti, M., 201
Chakraborty, S., 965
Chan, O., 885
Chao, A.C., 425
Chardigny, J.-M., 157, 895
Cheng, Y., 545
Cherian, G., 1257
Chiba, H., 1287
Chicco, A., 733
Chico, Y., 53
Cho, K.-H., 1149
Chojnacki, T., 981
Christie, W.W., 573
Christophe, A.B., 1
Chuang, L.-T., 171
Cleland, L.G., 419
Cluette-Brown, J.E., 269, 1051
Collomb, M., 657
Colombo, C., 841
Combe, N., 551
Conrad, A., 1093
Cook, M.E., 21
Corbino, G.B., 567

Cordeau, S., 485
Cornwell, D.G., 973
Coumans, W.A., 491
Crampton, V.O., 723
Crawford, M.A., 303
Cristea, M., 1275
Cruz, H., 769
Cunnane, S.C., 187, 297, 303, 477, 1045, 1221
Curi, R., 633, 1157
Cury, Y., 633
Czarnecki, S.K., 1115

D

Danaher, K.T., 1207
Danikiewicz, W., 981
de Alaniz, M.J.T., 525
de Groot, W.A., 713
De La Torre, A., 157
De Vriese, S.R., 1
Deland, M.P.B., 539
Delmonte, P., 579
Delvin, E., 595
Demcakova, E., 1023
DeMichele, S.J., 171
Demmelmair, H., 561
Descalzo, A.M., 999
Devaraj, S., 813
Devery, R., 623
Dewailly, É., 359, 399
Dhont, M., 1
Diau, G.-Y., 425
Díaz, R.J., 1119
Dick, J.R., 39, 723, 925, 1031
Dobarganes, C., 233
Dong, Z.-J., 81, 669
Douglas, H., 187, 1221
Drevon, C.A., 263, 1023
Drewnowski, A., 109
Du, M., 505
Duan, R.-D., 549
Dupas, C., 641
Durand, D., 157

E

Eder, K., 31
Egawa, T., 519
Ekeröth, J., 1057
Eldho, N.V., 445
Endo, Y., 573
Enzan, H., 519

Erickson, K.L., 377, 497
 Eriksdottir, V.H., 1127
 Escribano, J., 677
 Evershed, R.P., 179

F

Fabriàs, G., 865
 Fairrow, C., 165
 Fang, J., 885
 Fanizzi, F.P., 773
 Faulks, R.M., 933, 947
 Faure, P., 1093
 Ferguson, M.A., 9
 Feussner, I., 1167
 Fillery-Travis, A., 933, 947
 Flickinger, B.D., 129
 Foglia, T.A., 255
 Franke, W., 1133
 Franzson, L., 1127
 Fresnedo, O., 53
 Fujimoto, K., 573
 Fujishiro, S., 353
 Fujita, T., 1269
 Fujiwara, S., 991
 Fukumori, Y., 1065
 Fukushima, M., 919
 Furland, N.E., 73
 Furmanowa, M., 981
 Furukawa-Stoffer, T.L., 651
 Furuse, M., 609

G

Galli, C., 415, 841
 Gandia-Herrero, F., 677
 García, V., 275
 García-Carmona, F., 677
 Gasperikova, D., 1023
 Gavino, G., 485
 Gavino, V.C., 485
 Gawrisch, K., 445
 Gaydou, E.M., 85
 Genty, M., 895
 Ghebremeskel, K., 303
 Ghezzi, S., 841
 Gibson, R.A., 419
 Gingras, S., 359
 Gjøen, T., 289
 Glatz, J.F.C., 491
 Golfetto, I., 303
 González, M.S., 733
 Gorjão, R., 1157
 Goto, J., 281, 873
 Goto, T., 281
 Gregersen, S., 513
 Greiner, R.S., 431, 683
 Grevstad, N., 1007
 Grisdale-Helland, B., 833
 Grossi, G., 201
 Gruffat, D., 157
 Guha, N., 965

H

Haldar, D., 965
 Hall, C., 419
 Hallin, E.C., 1057
 Hamazaki, K., 353
 Hamazaki, T., 353

Han, J.-I., 1149
 Han, K.-H., 919
 Handelman, G., 603
 Hansen, H.H., 387
 Hansen, H.S., 387, 889
 Hansen, S.H., 387
 Hansen, S.L., 387
 Hara, H., 1227
 Harbige, L.S., 323
 Harden, L., 1197
 Harmon, S.D., 469
 Hasaba, A., 1051
 Hase, T., 25
 Hashimoto, N., 991
 Hasselwander, O., 895
 Hata, Y., 353
 Hatcher, P.G., 973
 Hayashi, Y., 519
 Hayward, S., 1237
 He, X., 1197
 Heimli, H., 263
 Hermansen, K., 513
 Hillyer, G.V., 769
 Hirsche, F., 31
 Hiroi, M., 519
 Hohl, R.J., 751
 Hollung, K., 263
 Holte, L.L., 445
 Holub, B.J., 359
 Hossain, M.A., 1263
 Howe, P.R.C., 391
 Høy, C.-E., 903, 1039
 Hsieh, A.T., 425
 Hu, F.B., 103
 Hu, L., 669
 Huan, M., 353
 Huang, W., 191
 Huang, Y.-S., 171
 Hueso, P., 761
 Hui, S.-P., 1287

I

Ichihara, K., 881
 Ichikawa, H., 1065
 Igal, R.A., 827
 Iguchi, K., 991
 Iida, T., 281
 Ikeda, M., 743
 Ikeda, S., 1249
 Ikegawa, S., 873
 Inagaki, S., 687
 Insani, E.M., 999
 Itomura, M., 353
 Iwamoto, H., 609
 Iwasaki, S., 687

J

Jackson, E.M., 1213
 Jahreis, G., 657
 James, M.J., 419
 Jeong, T.-S., 615, 1149
 Jeppesen, P.B., 513
 Jiang, P., 191
 Jim, S., 179
 Jiménez-Atiénzar, M., 677
 Joffre, F., 957
 Jones, K.H., 973
 Jones, P.J.H., 165, 367
 Jonsson, L., 1127

K

Kaduce, T.L., 469
 Kajiwar, T., 1167
 Kallio, H.P.T., 693, 1179
 Kanunfre, C.C., 1157
 Kato, C., 885
 Kato, T., 919
 Kawai, E., 743
 Kawasaki, M., 1065
 Kawashima, A., 1281
 Kawashima, Y., 531
 Keinänen, M.M., 1093
 Kelley, D.S., 377, 497
 Kim, H.-Y., 453
 Kim, M.R., 615
 Kim, S., 973
 Kishimoto, N., 1269
 Klaus, S., 1133
 Klein, M.L., 1213
 Klimes, I., 1023
 Klingler, M., 561
 Knapp, H.R., 297
 Kobayashi, N., 881
 Kobayashi, T., 1281
 Koblížek, M., 1085
 Koeduka, T., 1167
 Kojima, M., 919
 Kolber, Z.S., 1085
 Koletzko, B., 561
 Kondo, H., 25
 Konradsson, P., 1057
 Kontro (Suutari), M., 1093
 Koonen, D.P.Y., 491
 Koslow, J.A., 1207
 Kraemer, F.B., 743
 Kraemer, K., 895
 Kraft, J., 657
 Krings, U., 1075
 Kristensen, K., 513
 Kritchevsky, D., 1115
 Kruk, Z.A., 539
 Kuchel, H., 539
 Kuczek, T., 1007
 Kudo, N., 531
 Kuksis, A., 1179
 Kurosawa, T., 1287
 Kurvinen, J.-P., 693
 Kuwahara, K., 1263
 Kyo, T., 847

L

L'Abbé, M.R., 1237
 Lagarde, M., 465
 Lam, C.N.W., 1293
 Lands, W.E.M., 317
 Laposata, M., 269, 1051
 Larque, E., 561
 Lau, A., 453
 Lau, M.M.L., 1293
 Lauritzen, L., 889
 Lee, C.-L., 813
 Lehmann, L., 579, 1133
 Leicach, S.R., 567
 Lemieux, S., 359
 Leonard, S.W., 813
 Levati, M.G., 841
 Levy, E., 595
 Lewis, J.L., 391
 Li, Y., 683
 Lie Ken Jie, M.S.F., 1293
 Lillienau, J., 545

Lin, J.-T., 1197
 Lin, M.-C., 219
 Lind, L., 15
 Lindberg, J., 1057
 Lithell, H., 15
 Litman, B.J., 437
 Liu, J.-K., 81, 669
 Liu, J.-W., 171
 Liu, X.-W., 615
 Liza, M., 53
 Lokesh, B.R., 913
 Lombardo, Y.B., 733
 Loreau, O., 157
 Ludwig, D.S., 117
 Luiken, J.J.F.P., 491
 Lundin, R.E., 1197
 Lupo, G., 45

M

Mackey, B.E., 497
 Madsen, L., 1023
 Maeda, N., 1065
 Mahon, A., 1007
 Maldonado, E.N., 73
 Mañas, M., 1119
 Mann, N.J., 391
 Mano, N., 281, 873
 Mansuy-Huault, L., 1093
 Manuel, T.D., 469
 Marangoni, F., 415
 Marchand, D., 241
 Marín, M.C., 525
 Márquez-Ruiz, G., 233
 Martín, M.-J., 761
 Martín-Polvillo, M., 233
 Martín-Sosa, S., 761
 Martínez, M.A., 1119
 Martínez, S.M., 827
 Martínez-Victoria, E., 1119
 Martins de Lima, T., 1157
 Masuda, H., 1269
 Masuda, T., 1107
 Matsui, K., 1167
 Matsuo, N., 129
 Mazzer, P.A., 973
 McCloy, U., 477
 McCoy, S., 9
 McGrath, E., 623
 McGuire, M.A., 793
 McGuire, M.K., 793
 McKeon, T., 1197
 McMahan, C.A., 1213
 McMillan, E.G., 1045, 1221
 McWilliams, L., 419
 Meijer, G.W., 713
 Mele, S., 585
 Metges, C.C., 1133
 Meyer, B.J., 391
 Milla, P., 201
 Miller, A., 623
 Milligan, G.C., 391
 Min, T., 191
 Min, Y., 303
 Mirtini, R., 841
 Mitchell, D.C., 437
 Mitjavila, M.T., 821
 Mitsumoto, A., 531
 Miura, S., 743
 Miyamoto, S., 641
 Mizushima, Y., 1065
 Mochizuki, N., 743
 Möckel, P., 657

Moesgaard, B., 387
 Monduzzi, M., 585
 Montanaro, M.A., 827
 Montenegro, S., 827
 Moodley, T., 303
 Morehouse, K.M., 579
 Moriguchi, T., 431
 Mossoba, M.M., 579
 Mott, G.E., 1213
 Mougios, V., 805
 Mu, H., 903, 1039
 Mueller, R., 1237
 Müller, A., 1133
 Munir, K.M., 97
 Murai, T., 1287
 Murakami, C., 1065
 Murase, T., 25
 Murgia, S., 585
 Murota, K., 641
 Musa-Veloso, K., 477
 Mykkänen, H.M., 693

N

Nacka, F., 551
 Nadeau, C.R., 477
 Nagao, A., 705
 Nagao, T., 1281
 Nagura, H., 743
 Nakajima, S., 353
 Nakamura, Y., 609, 1107
 Nakanishi, T., 609
 Nakano, M., 919
 Nambara, T., 281
 Naranjo, J.A., 1119
 Nathanielsz, P.W., 425
 Nemoto, Y., 519, 687
 Neumann, M., 419
 Newsholme, P., 633, 1157
 Ng, W.-K., 1031
 Nguyen, P.N., 269
 Nguyen, T., 1197
 Nichols, P.D., 1207
 Nicolosi, R., 603
 Niggemeyer, K., 885
 Niki, E., 225
 Nilsson, Å., 545
 Nilsson, U.K., 1057
 Nishijima, A., 873
 Nishimukai, M., 1227
 Nishizawa, H., 353
 Niu, S.-L., 437
 Nozaki, Y., 1263
 Nuñez, A., 255
 Nürnberg, G., 1133

O

Obach, A., 833
 Obayashi, M., 1249
 Ochoa, B., 53
 Ogawa, J., 1281
 Ogawa, S., 281
 Ogawa, Y., 687
 Ohba, K., 919
 Ohshima, T., 65
 Ohta, H., 1107
 Oikawa, D., 609
 Olason, P.I., 1127
 Oliaro Bosso, S., 201
 Oliw, E.H., 1275
 Olszowska, O., 981

Onishi, S., 519, 687
 Ono, M., 519, 687
 Orellana, M., 275
 Orthoefer, F., 603
 Orzeszko, K., 665
 Osako, K., 1263
 Osanai, Y., 847
 Osbourn, A.E., 1275
 Ou, C.-C., 219
 Ownby, S.E., 751

P

Pang, J., 1213
 Park, J.-Y., 1149
 Parker, M.L., 933
 Parrish, C.C., 781
 Pasquis, B., 957
 Pearce, A.D., 459
 Peck, L., 1007
 Pedersen, S.B., 513
 Peeples, J.M., 407
 Peeples, T., 885
 Pelsers, M.M.A.L., 491
 Pensel, N.A., 999
 Peres, C.M., 633
 Peretti, N., 595
 Pérez-Gilbert, M., 677
 Pernet, F., 1191
 Pesante, M.A., 773
 Peters, J.C., 123
 Petersen, G., 387
 Petridou, A., 805
 Petzke, K.J., 1133
 Phylactos, A., 303
 Piazza, G.J., 255
 Pischel, I., 165
 Pitchford, W.S., 539
 Plouffe, L., 1237
 Pomilio, A.B., 567
 Porsgaard, T., 1039
 Porter, A.E.A., 39, 925
 Poston, L., 303
 Proudman, S.M., 419
 Ptock, A., 895
 Pucciarelli, H.M., 525

Q

Qian, Z., 191

R

Rabe, S., 1075
 Rabourdin, A., 241
 Ragusa, N., 45
 Rao, R., 913
 Ratnayake, W.M.N., 1237
 Refaai, M.A., 269
 Reseland, J.E., 1023
 Rich, G.T., 933, 947
 Rickert, R., 1133
 Ridlington, J.W., 813
 Rimoldi, O.J., 733, 827
 Risé, P., 415, 841
 Risérus, U., 133
 Ritzenthaler, K.L., 793
 Roach, J.A.G., 579
 Robergs, R.A., 9
 Rocco, F., 201
 Rodrigo, R., 275

Rodríguez, M.C., 821
 Röhrig, A.-K., 855
 Roma, G., 201
 Rontani, J.-F., 241, 1085
 Rosenlund, G., 833
 Rosjø, C., 833
 Rouja, P.M., 399
 Roy, A., 965
 Rudrum, M., 713
 Rustan, A.C., 1023
 Ruyter, B., 289, 833

 Ryan, M.A., 477

S

Sagredos, A., 805
 Saibara, T., 519, 687
 Saito, H., 1263
 Saito, K., 881, 1269
 Saito, S., 873
 Sáiz, M.P., 821
 Sakaguchi, K., 1065
 Saku, K., 209
 Salem, N., Jr., 297, 431, 683
 Sampaio, S.C., 633
 Santos, C.A. de M., 773
 Sarkadi-Nagy, E., 425
 Sarna, M.A., 651
 Sato, T., 885
 Sawamura, F., 743
 Sawazaki, S., 353
 Schiöth, H.B., 1127
 Schmidt, W., 303
 Schwab, U.S., 693
 Scollin, P., 603
 Sébédio, J.-L., 157, 895, 957
 Sebökova, E., 1023
 Seidman, E., 595
 Sekikawa, M., 919
 Setchell, K.D.R., 1115
 Shahin, A.M., 793
 Shan, H., 1213
 Shiba, N., 609
 Shimada, H., 1107
 Shimada, K., 919
 Shimada, Y., 1281
 Shimakawa, S., 225
 Shimizu, S., 1281
 Shimoji, E., 209
 Shiraishi, K., 281
 Shuldiner, A.R., 97
 Shultz, T.D., 793
 Sibbitt, Jr., W.L., 9
 Sieber, R., 657
 Siebert, B.D., 539
 Sim, J.S., 1257
 Simon, V.A., 497
 Sinclair, A.J., 391, 459, 665, 1113
 Sppone, S., 45
 Sjövall, O., 1179
 Skarphedinsson, J.O., 1127
 Skorupińska-Tudek, K., 981
 Skufca, P., 31
 Skuladottir, G.V., 1127
 Slocombe, R.F., 665
 Smedman, A., 133
 Smith, K.S., 813
 Smuts, C.M., 407
 Sok, D.-E., 615
 Spector, A.A., 469
 Stamp, L.K., 419

Stanton, C., 623
 Steer, P., 15
 Steinhart, H., 1133
 Stevens, L., 1007
 St-Onge, M.-P., 367
 Straarup, E.M., 1039
 Stumpe, M., 1167
 Su, N.-D., 615
 Suelzle, A., 31
 Sugawara, F., 1065
 Sugawara, T., 705
 Sun, C., 191
 Sundvold, H., 289
 Sunwoo, H., 1257
 Svensson, S.P.S., 1057
 Swiezewska, E., 981

T

Tachibana, T., 609
 Tahvonen, R.L., 693
 Takagi, T., 609
 Takahashi, M., 687
 Takahashi, Y., 609
 Takamiya, K., 1107
 Takanashi, K., 847
 Takemura, M., 1065
 Tan, J.-W., 81
 Tanaka, H., 209
 Tao, R., 603
 Tarrés, M.C., 827
 Tepper, S.A., 1115
 Terano, T., 353
 Terao, J., 641
 Terasawa, K., 353
 Thomassen, M.S., 833
 Thomsen, J.L., 513
 Thomson, A.L., 651
 Tobisa, M., 609
 Tocher, D.R., 723
 Toda, K., 519, 687
 Tokimitsu, I., 25
 Tomita, I., 743
 Tomita, T., 743
 Toraishi, K., 1269
 Toyama, T., 531
 Traber, M.G., 813
 Tremblay, R., 1191
 Trick, K., 1237
 Tsao, S.-M., 219
 Tsevegsuren, N., 573, 1173
 Tsuzuki, M., 991
 Turner, C., 1197

U

Ukropec, J., 1023
 Ushio, H., 65

V

Vegusdal, A., 289
 Veras, I.D., 965
 Vériel, E., 465
 Verlengia, R., 1157
 Vessby, B., 15, 133
 Villorina, G., 865
 Vingrys, A.J., 459
 Viola, F., 201

Viracaoundin, I., 85
 Visioli, F., 415
 Vistisen, B., 903
 Vitale, A.A., 567
 Vosmann, K., 1173

W

Wainwright, P.E., 171
 Wakatsuki, A., 687
 Wakisaka, T., 1227
 Wang, X.-H., 65
 Wang, Y., 1257
 Wang, Y.W., 165
 Warren, J.M., 497
 Watanabe, K., 991
 Watanabe, S., 353
 Watanabe, Y., 1281
 Watkins, B.A., 683
 Weber, M.T., 147
 Weisinger, H.S., 459
 Weisinger, R.S., 459
 Weselake, R.J., 651
 White, L.J., 9
 Wickham, M.S.J., 933, 947
 Wijendran, V., 425
 Wilkie, B.N., 1221
 Wilson, T., 603
 Wilson, W.K., 1213
 Wolfe, B., 1115
 Wolff, R.L., 1143
 Wong, R.Y., 1197
 Wu, M., 191
 Wylie, N., 419

X

Xing, H., 171
 Xu, X., 1065

Y

Yaber Grass, M.A., 567
 Yago, M.D., 1119
 Yamamoto, I., 1269
 Yamamoto, T., 609
 Yamaryo, Y., 1107
 Yamashita, K., 1249
 Yang, M., 21
 Yin, M.-C., 219
 Yli-Jokipii, K.M., 693
 Yoganathan, S., 603
 Yoshida, H., 1065
 Yoshida, Y., 225
 Yoshimura, T., 1287
 Yoshioka, S., 1269
 Yoshizawa, I., 847
 Yue, J.-M., 1299
 Yurawecz, M.P., 579

Z

Zemel, M.B., 139
 Zentall, S.S., 1007
 Zhan, Z.-J., 1299
 Zhang, B., 209
 Zhang, W., 1007
 Ziadeh, B.I., 425
 Zorn, H., 1075

Subject Index

A

ABORIGINAL

- health benefit gained from moving, people away from elements of adopted modern Western diet back to traditional diets, 399
- populations of, peoples in Québec historically experience lower rates of ischemic heart disease, 359

ABSORPTION

- phospholipids affect intestinal, of carotenoids in mice, 705

ACETYL CARNITINE

- increased, formation during exercise, 9

ACTIVATED SLUDGE

- fatty acid profiles of lipid fractions in extracellular polymeric substances of, flocs, 1093

ACYL-COENZYME A SYNTHETASE

- eicosapentaenoic acid-induced apoptosis depends on, 263
- lipid synthesis and, in developing rice seeds, 881

N-ACYLETHANOLAMINE PHOSPHOLIPIDS

- brain levels of, in mice during pentylentetrazol-induced seizure, 387

ACYL 2-DEOXYGLUCURONIDE

- synthesis and characterization of, of deoxycholic acid as model compound to investigate possible utility as water-soluble affinity labeling reagent for lipophilic carboxylic acids, 873

ACYL GLUCURONIDE

- biosynthesis of, by action of glucuronosyltransferases to material for detoxification, 873

ACYLTRANSFERASE

- characterization of specific activity of expressed diacylglycerol, enzyme, 1197

N-ACYLTRANSFERASE

- determination of activity of, in brain membrane preparations from adult and 3-d-old mice, 387

ADIPOCYTE VIABILITY

- colorimetric assay used to determine, 1133

3T3-L1 ADIPOCYTES

- Western blot analysis of hormone-sensitive lipase in, 743

ADIPONECTIN

- reduces hepatic glucose production, 497

ADIPOSE

- fatty acid ethyl esters detectable in blood, liver and, tissue after ethanol ingestion, 269

ADIPOSE TISSUE

- development of cell culture system for studying proliferation and differentiation of preadipocytes isolated from, of Atlantic salmon, 289
- hyperphagia modifies fatty acid profiles of plasma phospholipids, plasma free fatty acids, and triacylglycerols, 1127

AFFINITY LABELING

- water-soluble, reagent, 873

AGE

- lack of accumulation of *N*-acylethanolamine phospholipid in adult rat brain may be caused by, -dependent enzyme pattern, 387

ALCOHOL

- ethyl arachidonate is predominant fatty acid ethyl ester in brains of, -intoxicated subjects at autopsy, 269

ALCOHOL-FREE RED WINE

- consumption of, increased levels of arachidonic acid, 275

ALCOHOLISM

- normal physiologic concentrations of stearate in combination with blood ethanol level found in chronic, stimulates production of three predominant species of fatty acid ethyl esters in human hepatoblastoma cells, 1051

ALCOHOLYSIS

- lipases used for selective preparation by, in organic media, 1197

ALKALINE LIPASE

- cloning and expression of an, gene, 191

1-O-ALKYL-2,3-DIACYLGLYCEROLS

- fatty acid composition of, changed least with the introduction of *n*-3 polyunsaturated fatty acids in the diet, 73

ALLYL

- presence of, chloro-, fluoro- or methyl-allyl group offers new direction for study of physiological and pharmaceutical properties, 1293

ALTERNATIVE BILE ACID PATHWAY

- predominates before weaning, 1213

AMYLASE

- positive correlation between flow rate and both protein concentration and, activity in olive oil group but not in sunflower oil group, 1119

ANANDAMIDE

- is ligand for cannabinoid receptors, 387

Androsace septentrionalis

- isomers of hexadecenoic and hexadecadienoic fatty acids in, (*Primula* spp.) seed oil, 1173

ANESTHETIZED RAT

- chronic intake of diets differing only in type of fat added influences exocrine pancreatic secretion in, 1119

p-ANISIDINE VALUE

- method for determination of, 1179

ANTHRANILICANILIDE

- effect of, on conversion of dihomo- γ -linolenic acid to arachidonic acid, 469

ANTICANCER AGENTS

- both sulfoquinovosyl diacylglycerol and sulfoquinovosyl monoacylglycerol thought to be promising immunosuppressive and, 1065

ANTIGEN

- fatty acid profile of inflamed muscle at, injection site in pig neck measured, 1221

ANTI-INFLAMMATORY

- emu oil reported to have, properties, 603

ANTIOXIDANT

- hydrophilic, Trolox®, less effective in preventing cyclization of internal hydroperoxy radicals, 65
- 2-hydroxyestradiol 17-sulfate as an, 847
- lipophilic nitroxyl radical acting as, 225

AORTIC PHYTOSTEROLS

- serum and, in rabbits fed sitosterol or sitostanol esters, 1115

APOLIPOPROTEIN A-I

- evaluation of, kinetics in rabbits *in vivo* using *in situ* and exogenous radioiodination methods, 209

APOLIPOPROTEIN C-II

- role of, in very low density lipoprotein metabolism, 687

APOLIPOPROTEIN C-III

- excessive amount of, attenuates lipoprotein lipase activity, 687

APOPTOSIS

- effects of docosapentaenoic acid on neuronal, 453
- eicosapentaenoic acid-induced, depends on acyl coenzyme A-synthetase, 263
- mode of cell death induced by vaccenic acid in cancer cells, 623

ARACHIDONATE

- among polyunsaturates, undergoes least β -oxidation and carbon recycling, 477
- ethyl, is predominant fatty acid ethyl ester in brains of alcohol-intoxicated subjects at autopsy, 269

ARACHIDONIC ACID

- accretion of, in mammals greatest during prenatal and postnatal brain growth spurt, 171
- average daily intake of, 391
- genes regulated by, and oleic acid in Raji cells, 1157
- has important role in immunoregulation, 1221
- levels of, maintained with consumption of red wine and increased with alcohol-free red wine, 275
- mechanism by which conjugated linoleic acid exerts anticancer activity

- attributed to modulation of, distribution and metabolism, 623
 other n-6 fatty acids including, replace docosahexaenoic acid in n-3 deficient rats, 431
 potential role for, and docosahexaenoic acid in protection against some central nervous system injuries in preterm infants, 303
 synthesis of, decreased in human cells, 469
 transfer of, from lymphocytes to macrophages, 633
Asclepias syriaca
 extracts of seeds of, used as reference substances for comparison and co-chromatography, 1173
ASCOMYCETE
 linoleate diol synthase of the filamentous, fungus known as rice blast fungus *Magnaporthe grisea*, 1275
ASCORBIC ACID
 synergistic effect from combination of lipophilic nitroxyl radical with, in liposomal membranes, 225
ASTERACEAE
 biosynthetic potential to produce a number of unusual seed oils is characteristic of, 573
ATLANTIC SALMON (*Salmo salar*)
 effects of dietary vegetable oil on, hepatocyte fatty acid desaturation and liver fatty acid compositions, 723
 fatty acid desaturation and elongation in, 833
in vitro method for studying proliferation and differentiation of, preadipocytes, 289
ATTENTION-DEFICIT/HYPERACTIVITY DISORDER
 effects of supplementation with polyunsaturated fatty acids on blood fatty acid composition and behavior in children with symptoms of, who also report thirst and skin problems, 1007
Aurelia sp.
 occurrence of high levels of tetracosahexaenoic acid in the jellyfish, 1207
AURICULAR
 topical emu oil has anti-inflammatory properties in CD-1 mouse associated with decreased, thickness and weight, 603
AUTOIMMUNE
 dietary conjugated linoleic acid had beneficial effect in, F1 hybrid of New Zealand Black mice and New Zealand White mice, 21
AUTOIMMUNITY
 fatty acids, immune response and, 323
AUTOXIDATION
 anticipated gradual change in composition of oil sample with progressive, 1179
 of polyunsaturated fatty acids, 65
 photochemical oxidation and, of chlorophyll phytyl chain, 241
2,2'-AZOBIS-(2-AMIDINO-PROPANE)DIHYDROCHLORIDE
 partitioned out of hydrophobic region of phosphatidylcholine, 65
2,2'-AZOBIS-(2,4-DIMETHYLVALERONITRILE)
 free radical oxidation initiated by, 65
- B**
BARDI
 fat, fishing patterns, and health among the, people of North Western Australia, 399
BASIDIOMYCETE
 ceramides from, *Cortinarius umidicola*, 669
 new cerebrosides from, *Cortinarius tenuipes*, 81
BEHAVIOR
 comparison of high γ -linolenic acid canola oil with borage oil on mouse brain and, development, 171
BEVERAGE
 phytosterols and novel foods and, 367
BIEBER, MARK
 papers from memorial symposium, 93
BILE ACID
 cholesterol and, concentrations in feces of rats, 919
BILE ACID METABOLISM
 activities of several genes tightly associated with, and cholesterol homeostasis, 1149
BILE ACID RECEPTOR
 binds promoter regions of several target genes, 1149
- Lipids, Vol. 38, no. 12 (2003)**
BILE SALT MICELLES
 mixed micelles have similar inhibitory effect on carotene transfer to oil as, alone, 947
BIOAVAILABILITY
 factors determining, of carotenoids from vegetables, 947
BIOSYNTHESIS
 liver thought to be main region of polyunsaturated fatty acid, in vertebrates, including fish, 39
BIRTH WEIGHT
 low intake of n-3 fatty acids from docosahexaenoic acid alone could increase length of gestation and, 407
BLANCHING
 effect of, procedure on chloroplast structure, 933
BLOOD CHOLESTEROL
 plant sterols inhibit intestinal absorption of cholesterol leading to lowered, levels, 713
BLOOD PLATELET ACTIVATION
 influence of docosahexaenoic acid and pathophysiologic role of redox status in, 465
BLOOD PRESSURE
 perinatal n-3 fatty acid deficiency and, 459
BODY COMPOSITION
 conjugated linoleic acid isomers and fenofibrate induce different changes in, 497
 effect of conjugated fatty acid on feed intake, liver fatty acid, and, in mice, 895
BODY FAT
 effect of conjugated linoleic acid on, 377
 supplementation with conjugated linoleic acid: isomer incorporation into serum lipids and effect on, of women, 805
BODY MASS INDEX
 genetic influences on, 147
BODY WEIGHT
 conjugated linoleic acid and, regulation in humans, 133
 dietary fat and, control, 123
 dietary glycemic index and the regulation of, 117
 role of energy density on regulation of food intake and, 109
BODY WEIGHT WASTING
 conjugated linoleic acid protected against, in F1 hybrid New Zealand Black/White mice, 21
BONE
 impact of dietary n-3 fatty acid deficiency on rat, tissue fatty acid composition, 683
 routing and *de novo* synthesis of, lipids, 179
BORAGE OIL
 fatty acid compositions at 2-position in cocoa fat, tuna oil, and, analyzed by Grignard degradation and enzymatic ethanolysis, 1281
BOVINE MILK
 enterotoxigenic *Escherichia coli* strains bind, gangliosides in a ceramide-dependent process, 761
BOVINE PULMONARY SURFACTANTS
 analytical procedures allow rapid and accurate analysis of mixture of phospholipids present in, 999
BRAIN
 fatty acid ethyl esters in, tissue of alcoholic humans, 269
N-acylethanolamine phospholipids in, of mouse, 387
 resistance of, membranes to loss of arachidonate during dietary deficiency of n-6 polyunsaturates, 477
BRAIN DEVELOPMENT
 effects of high- γ -linolenic acid canola oil compared with borage oil on reproduction, growth and behavior, and, in mice, 171
 fatty acyl composition during, 431
BRAIN FATTY ACID COMPOSITION
 during brain development, 431
BREAST MILK
 infants who do not consume, or formula containing docosahexaenoic acid must rely on their own stores or their ability to elongate and desaturate α -linolenic acid from infant formula, 1045
BROILER CHICK
 dietary conjugated linoleic acid affects lipid metabolism in, 505
 maternal dietary fatty acid modulates long-chain n-3 polyunsaturated fatty acid status of, cardiac tissue, 1257

BRONCHOPULMONARY DYSPLASIA

complications of preterm, very-low-birth-weight babies include, 303

BROWN ADIPOSE TISSUE

seems to be more susceptible to conjugated linoleic acid treatment, 1133

BUTTERMILK

transacylation of, gangliosides, 855

C

CAAT ENHANCER BINDING PROTEIN α

regulatory protein associated with adipocyte differentiation, 289

CALCIUM

lack of stereospecificity in lysophosphatidic acid enantiomer-induced,

mobilization in human erythroleukemia cells, 1057

role of dietary, and dairy products in modulating adiposity, 139

CALENDIC ACID

significantly decreased body fat in male mice but had little effect in female mice, 895

CAMPESTEROL

question of possible atherogenicity of, 1115

CANADA

history of fats and oils in, 299

Candida antarctica LIPASE

regiospecific analysis by ethanolation of oil with immobilized, 1281

CANINE PROSTATE TISSUE

lipids and fatty acid analysis of, 665

CAPILLARY GAS-LIQUID CHROMATOGRAPHY

structure and composition of constituent fatty acids of *Androsace septentrionalis* determined by various methods including, 1173

CAPRYLIC ACID

production of specific structured triacylglycerol by batch interesterification of, and linoleic acid, 903

CARBOHYDRATE

regulation by, and clofibrate acid of palmitoyl-coenzyme A chain elongation in the liver of rats, 531

CARBON ISOTOPES

natural abundance stable, evidence for the routing and *de novo* synthesis of bone fatty acids and cholesterol, 179

CARBON RECYCLING

from polyunsaturated into lipid synthesis, 477

CARBOXYETHYL-HYDROXYCHROMANOLS

effect of vitamin E supplementation on, 813

CARDIOVASCULAR DISEASE

fish consumption highly protective toward, 415

low-fat functional foods using phytosterols more valuable in promotion of healthy eating in population at higher risk of, 367

CARDIOVASCULAR RISK FACTOR

fatty acids and, 359

CARNITINE PALMITOYLTRANSFERASE I

mitochondrial, is enzyme that catalyzes transformation of long-chain fatty cholesterol acyltransferase esters to acylcarnitine, 485

CAROTENIDS

modeling duodenal environment through solubilization of, from carrot juice and spinach in lipid phases, 947

modeling gastric lumen through solubilization of, from carrot juice and spinach in lipid phases, 933

phospholipids affect intestinal absorption of, in mice, 705

CARROT

modeling duodenal environment through solubilization of carotenoids from, juice and spinach in lipid phases, 947

CATTLE

differences in $\Delta 9$ -desaturase activity between Jersey- and Limousin-sired, 539

CECA

pyloric, are significant sites of newly synthesized docosaheptaenoic acid in rainbow trout, 39

CELL MEMBRANE

formation of sphingolipid clusters in, 855

CELL SUSPENSION CULTURES

examination of properties of microsomal acyl-coenzyme A:lysophosphatidylcholine acyltransferase from microspore-derived, of *Brassica napus*, 651

CELLS

thermochemolysis of thiol adducts with proteins and in, 973

THP-1 CELLS

pharmacological modulation of fatty acid desaturation and of cholesterol biosynthesis in, 841

CERAMIDE(S)

bovine enterotoxigenic *Escherichia coli* strains able to discriminate among several ganglioside species differing only in composition of, 761

comparison with enzymatic sphingolipid, N-deacylase-catalyzed fatty acid exchange, 855

from basidiomycete *Cortinarius umidicola*, 669

new glyceroglycolipid and, from *Premna microphylla*, 1299

CEREBROSIDE

from basidiomycete *Cortinarius tenuipes*, 81

CHARACTERIZATION OF DEGRADATION PRODUCTS

of senescent cells from two phytoplanktonic strains, 241

CHEMILUMINESCENCE DETECTION

reversed-phase high-performance liquid chromatography with postcolumn, also performed, 1287

Chenopodium album

nonpolar lipid composition of, grown in intensively-cultivated and non-disturbed soils, 567

CHILDHOOD BEHAVIOR

effects of supplementation with polyunsaturated fatty acids on blood fatty acid composition and, 1007

CHLORO-

presence of, fluoro-, allyl, or methyl-allyl group offers new direction for study of physiological and pharmaceutical properties, 1293

CHLOROPHYLL PHYTYL SIDE CHAIN

photochemical oxidation and autooxidation of, in senescent phytoplanktonic cells, 241

CHLOROPLAST

effect of blanching greater on spinach, than carrot chromoplast, 933

5 β -CHOLANE DERIVATIVE

functionalization of inactivated carbons in 3 α ,6- and 3 α ,24-dihydroxy-5 β -, by dimethyldioxirane, 281

CHOLECYSTOKININ

unknown whether endogenous level of, affected by type of fat, 1119

CHOLESTEROL

carbon from oxidized fatty acid incorporated into newly synthesized, or fatty acids, 477

comparative effects of flaxseed and sesame seed on vitamin E and, levels in rats, 1249

effect of conjugated linoleic acid supplementation on total, 805

effect of policosanols and phytosterols on lipid levels and, biosynthesis in hamsters, 165

examination of, -lowering efficacy of plant sterols, 367

natural abundance stable carbon isotope evidence for the routing and *de novo* synthesis of bone fatty acids and, 179

plasma membrane neutral sphingomyelinase may have specific, ceramide-independent effect in regulation of, output pathways in hepatocytes, 53

regulatory effect of, on 3T3-L1 adipocytes, 743

serum, level of rabbits fed control diet, 1115

CHOLESTEROL ABSORPTION

effect of structure and form on the ability of plant sterols to inhibit, in hamsters, 713

CHOLESTEROL ESTERS

very long chain polyunsaturated fatty acids in murine testicular triacylglycerols and, 73

CHOLESTEROL 27-HYDROXYLASE

baboon liver biopsies assayed for, 1213

CHOLESTEROL 7 α -HYDROXYLASE

actions of, is one of several complex mechanisms that tightly regulate bile acid production and cholesterol homeostasis, 1149

CHOLESTEROL 7 α -HYDROXYLASE mRNA

levels of hepatic, in enzyme-resistant fraction of adzuki starch and

- enzyme-resistant fraction of tebou starch groups significantly higher than in the cellulose powder group, 919
- CHOLESTEROL SYNTHESIS**
inhibitory effect of policosanols on, 165
pharmacological modulation of fatty acid desaturation and of, in THP-1 cells, 841
- CHOLESTERYL ESTER METABOLISM**
activation of, and biliary cholesterol secretion and inhibition of very-low-density lipoprotein secretion, 53
- CHOLESTERYL ESTERS**
and phospholipids in maternal and cord plasma, 1
effect of conjugated linoleic acid supplementation on, 805
- CHROMOPLAST**
effect of blanching greater on spinach chloroplast than carrot, 933
Chrysanthemum (Tanacetum) zawadskii HERB
novel isomeric octadecatrienoic acid from, 573
- CHYLOMICRON**
and very low density lipoprotein triacylglycerol structures, 693
- CLASSIC BILE ACID PATHWAY**
predominates after weaning, 1213
Clavularia viridis
localization of clavulones within, the Okinawan soft coral, 991
- CLAVULONES**
localization of, within the Okinawan soft coral *Clavularia viridis*, 991
- CLOFIBRIC ACID**
regulation by carbohydrate and, of Palmitoyl-coenzyme A in the liver of rats, 531
- CLONING**
and expression of an alkaline lipase gene, 191
- COCOA BUTTER**
triglycerides containing stearic acid synthesized from coconut oil exhibit lipidemic effects in rats similar to those of, 913
- COCOONUT OIL**
triglycerides containing stearic acid synthesized from, exhibit lipidemic effects in rats similar to those of cocoa butter, 913
- COMBINATION THERAPY**
subjects with rheumatoid arthritis entered into program of, 419
- CONDUCT DISORDER**
Disruptive Behavior Disorders Rating Scale assesses four types of behavior including, 1007
- CONJUGATED LINOLEIC ACID**
and body weight regulation in humans, 133
determination of, in major human plasma lipid classes using combination of methylating methodologies, 793
dietary, affects autoimmunity in mice, 21
dietary, affects lipid metabolism in broiler chicks, 505
dietary, and docosahexaenoic acid modify skin properties in mice, 609
enzymatic oxidation of, 255
isomers and lipid metabolism, 497
mixture of octadecadienoic acids with conjugated double bonds, 579
protection of paraoxonase 1 by, 615
treatment with, significantly decreased fat content in males as well as in females, 895
- CONJUGATED LINOLEIC ACID ISOMERS**
content of serum triacylglycerols, phospholipids and total lipids increased two to five times with conjugated linoleic acid supplementation, 805
hepatic metabolism of, in rats, 157
in milk lipids, 657
- CONJUGATED LINOLEIC ACID SUPPLEMENTATION**
isomer incorporation into serum lipids and effect on body fat of women, 805
- CIS-9,TRANS-11 CONJUGATED LINOLEIC ACID**
content of, in milk fat of different origins, 657
- TRANS-7,CIS-9-CONJUGATED LINOLEIC ACID**
synthesis and isolation of, 579
- TRANS-11,CIS-13 CONJUGATED LINOLEIC ACID**
hypothesis that linolenic acid is an indirect precursor of, 657
- CONTINUOUS SPECTROPHOTOMETRIC ASSAY**
determination of phospholipase activity of patatin by, 677
- COPPER ION**
paraoxonase 1 susceptible to oxidative inactivation by hydrogen peroxide or, 615
- CORE ALDEHYDES**
identification and quantification of triacylglycerol, 1179
Cortinarius tenuipes
new cerebrosides from basidiomycete, 81
Cortinarius umidicola
ceramides from basidiomycete, 669
- CREE**
comparison of fish intake and plasma phospholipid concentrations of n-3 fatty acids among Québécois, Inuit, and, 359
- CROTON OIL**
antagonism of, inflammation by topical emu oil in CD-1 mice, 603
- CURCUMIN**
and nicardipin decreased $\Delta 5$ desaturation with limited effect on cholesterol synthesis, 841
- CYANOLIPIDS**
seeds of many species of Sapindaceae rich in oils that contain acylglycerols and, 773
- CYCLIC FATTY ACIDS**
peroxisome proliferator-activated receptor α not exclusive mediator of effects of dietary, in mice, 957
- CYCLING**
intramyocellular lipid significantly decreases in response to interval, in moderately trained subjects, 9
- CYCLOHEXANE-1-SPIRO-2'-(4'-OXYIMIDAZOLIDINE-1'-OXYL)-5'-SPIRO-1"-CYCLOHEXANE**
antioxidant action of a lipophilic nitroxyl radical, against lipid peroxidation under hypoxic conditions, 225
Cystodytes violatinctus
phospholipid fatty acids from Indian Ocean tunicates *Eudistoma bituminis* and, 81
- CYTOCHROME C OXIDASE**
measurement of, activity, 965
- CYTOCHROME P450**
cloned and purified hydroperoxide lyases found to be heme proteins belonging to, family, 1167
- CYTOKINE(S)**
effect of fatty acids on, production by Raji cells, 1157
effects of fish oil on inflammatory eicosanoid and, production, 343
intrauterine exposure to chorioamnionitis or proinflammatory, shown to induce pulmonary and systemic inflammatory response in fetus, 303
topical emu oil has anti-inflammatory properties in CD-1 mouse associated with, interleukin-1 α and tumor necrosis factor- α , 603
- CYTOTOXICITY**
investigation of, on cultured cells, 1065

D

- N-DEACYLASE**
catalyzes condensation reaction between free fatty acids and sphingolipids, 855
- DEFERRED EFFECTS**
of preweaning diet on atherosclerosis in adolescent baboons, 1213
- DEFICIENCY**
effects of n-6 polyunsaturated fatty acid, on growth in rats, 187
- DENATURED BOVINE SERUM ALBUMIN**
stimulating activity of, 965
- DEOXYCHOLIC ACID**
description of synthesis and characterization of acyl 2-deoxyglucuronide of, as model compound, 873
- DEOXYRIBONUCLEIC ACID POLYMERASE**
inhibitory action of emulsified sulfoquinovosyl acylglycerol on mammalian, 1065
- DEOXYRIBONUCLEIC ACID TOPOISOMERASE II**
sulfoquinovosyl diacylglycerol and sulfoquinovosyl monoacylglycerol are potent inhibitors of, 1065
- DESATURASE(S)**
differences in $\Delta 9$ -, activity between Jersey- and Limousin-sired cattle, 539

- influence of temperature and high dietary linoleic acid content on, activity of polyunsaturated fatty acids in Atlantic salmon hepatocytes, 833
- $\Delta 5$ -DESATURASES**
effect of sucrose diet on hepatic activity of, and $\Delta 6$ -desaturases, 733
fatty acid, necessary for production of arachidonic acid and eicosapentaenoic acid from polyunsaturated fatty acid precursors, 469
hepatic $\Delta 9$ -, $\Delta 6$ -, and, in non-insulin-dependent diabetes mellitus e Stillman-Salgado rats, 827
simvastatin decreases cholesterol synthesis and increases linoleic acid conversion to long-chain derivatives, activating $\Delta 6$ - and, 841
- $\Delta 6$ -DESATURASES**
effect of sucrose diet on hepatic activity of, and $\Delta 5$ -desaturases, 733
effect of, inhibitor on polyunsaturated fatty acid metabolism in human cells, 469
hepatic $\Delta 9$ -, $\Delta 5$ -, and, in non-insulin-dependent diabetes mellitus e Stillman-Salgado rats, 827
simvastatin decreases cholesterol synthesis and increases linoleic acid conversion to long-chain derivatives, activating $\Delta 5$ - and, 841
- $\Delta 9$ -DESATURASES**
effect of sucrose-rich diet vs. starch diet during short and long treatment on hepatic activity of, 733
hepatic $\Delta 6$ -, $\Delta 5$ -, and, in non-insulin-dependent diabetes mellitus e Stillman-Salgado rats, 827
mechanism by which conjugated linoleic acid exerts anticancer activity attributed to inhibition of, 623
- DESATURASE INHIBITORS**
study of activity of fluorinated fatty acids as substrates and, involved in biosynthesis of sex pheromonal blend of *Spodoptera littoralis*, 865
- DESATURASES mRNA**
effect of sucrose diet on $\Delta 6$, transcription, 733
Northern blot determinations of, 827
- DESATURATION**
effects of dietary vegetable oil on Atlantic salmon hepatocyte fatty acid, and liver fatty acid compositions, 723
- DETERGENT(S)**
kinetics of barley fatty acid hydroperoxide lyase modulated by salts and, 1167
- DEVELOPMENT**
of intestinal alkaline sphingomyelinase in rat fetus and newborn rat, 545
- DIABETES**
hepatic $\Delta 9$ -, $\Delta 6$ -, and $\Delta 5$ -desaturations in non-insulin-dependent, mellitus e Stillman-Salgado rats, 827
sedentary lifestyle and risk of obesity and type 2, 103
- DIACYLGLYCEROL**
characterization of specific activity of expressed, acyltransferase enzyme, 1197
metabolism of, in the intestine, 25
- DIACYLGLYCEROL ACYLTRANSFERASE**
measurements of, activity indicate that 1,3-diacylglycerol little utilized in triacylglycerol synthesis, 25
- DIACYLGLYCEROL OIL**
nutritional characteristics of, 129
- DIATOM**
determination of lipid class composition of, *Chaetoceros gracilis*, 1191
- DIET(S)**
control, contained ethyl esters prepared from safflower oil, 895
could prevent many diseases, 317
nonessential fatty acids and cholesterol both absorbed directly from the, 179
- DIETARY FAT**
controversy over effects of fatty acid composition of, on adaptive process of pancreatic enzymes, 1119
fatty acid composition of many tissues related to levels of, 425
- DIETARY FATTY ACID**
effect of, in F1 hybrid New Zealand Black/White mice, 21
- DIFFERENTIATION**
in vitro method for studying proliferation and, of Atlantic salmon preadipocytes, 289
- DIGALACTOSYLDIACYLGLYCEROL**
is major glycolipid in floral organs of *Petunia hybrida*, 1107
- DIGALACTOSYLDIACYLGLYCEROL SYNTHASE**
recent studies of, show that enzyme which transfers galactose moiety from uridine 5'-diphosphate contributes mainly to digalactosyldiacylglycerol biosynthesis, 1107
- DIGESTIBILITY**
interactive effects of dietary palm oil concentration and water temperature on lipid, in rainbow trout, 1031
- DIISOPROPYL ETHER**
commonly used for lipase-catalyzed reactions, 1197
- DIMERS**
effects of temperature and addition of α -tocopherol evaluated in trilinolein model systems through quantification of, 233
- DIMETHYLDIOXIRANE**
functionalization of unactivated carbons in 3 α ,6- and 3 α ,24-dihydroxy-5 β -cholane derivatives by, 281
- DIMETHYLDISULFIDE ADDUCTS**
preparation of, 1173
- DIMETHYLOXAZOLIDINES**
preparation of fatty acid derivatives of, 1173
- DINITROPHENYLHYDRAZONES**
tentative identification and quantification of triacylglycerol core aldehydes as, in autoxidized sunflower seed oil, 1179
- DIOL(S)**
isolation of unsaturated, after oxidation of conjugated linoleic acid with peroxygenase, 255
- 2,2-DIPHENYL-5-(4-[(1E)-PYRIDIN-3-YL-METHYLIDENE]AMINO) PIPERAZIN-1-YL)PENTANENITRILE**
effect of $\Delta 6$ -desaturase inhibitor, on polyunsaturated fatty acid metabolism in human cells, 469
- DISEASES**
diets could prevent many, 317
- DISIALOGLANGIOSIDE GD₃**
buttermilk predominantly contains, and monosialoganglioside GM₃, 855
- DOCOSAHEXAENOIC ACID**
and blood platelet redox status, 465
average daily intake of, 391
consumption of ethanol caused a significant decrease in level of, in rat kidney, 275
deposited into synaptic membranes at high rate during perinatal period, 459
dietary conjugated linoleic acid and, modify skin properties in mice, 609
effect of starvation on lipid metabolism and stability of, in horse mackerel, 1263
high-, eggs in late pregnancy, 407
increased, in neck muscle of pigs, 1221
increments in plasma concentrations of eicosapentaenoic acid and, given as capsules linearly correlate with intakes, 415
 α -linolenic acid is precursor to, which is essential for normal growth and development in the infant, 1045
necessary for optimal brain and behavioral development, 171
phosphatidylserine is important component for observed protective effect of, 453
potential role for arachidonic acid and, in protection against some central nervous system injuries in preterm infants, 303
structure of, in phospholipid membranes, 445
sucrose-rich diet simultaneously and antagonistically decreased proportion of, of n-3 family, 733
supplementation with polyunsaturated fatty acids led up to a twofold increase in proportions of eicosapentaenoic acid, α -tocopherol, and, in plasma phospholipids and red blood cell total lipids, 1007
synthesis of, decreased in human cells, 469
synthesis of, in ceca, 39
tissue deposition of n-3 fatty acid pathway intermediates in the synthesis of, in rainbow trout, 925
undergoes less β -oxidation and carbon recycling, 477
whole-body lipids of n-6 polyunsaturated fatty acid-deficient rats had 66% higher, 187
- DOCOSAHEXAENOIC ACID SIGNAL TRANSDUCTION**
enhancement of G protein-coupled signaling by, phospholipids, 437

DOCOSAPENTAENOIC ACID

- amounts of, less affected in murine testis after 2 wk of fish oil consumption than other major testicular lipids, 73
- average daily intake of, 391
- effects of, on neuronal apoptosis, 453

DOCOSATETRAENOIC ACID

- and replacement of docosahexaenoic acid in n-3-deficient rats, 431

DOLICHOL

- polyisoprenoid alcohols of plant *Coluria geoides* isolated and analyzed to determine nature of polyprenol and, mixture in various plant organs, 981

DRY SKIN

- symptom of, reported among children with Attention-Deficit/Hyperactivity Disorder as well as those with essential fatty acid deficiency, 1007

DUODENAL

- modeling, environment through solubilization of carotenoids from carrot juice and spinach in lipid phases, 947

DYNAMIC FLAVOR RELEASE

- initial, from oil/water emulsions containing different triacylglycerol phases, 1075

E**EARLY ARTHRITIS**

- patients recruited from clinic for, 419

EARLY DEVELOPMENT

- especially during, β -oxidation and carbon recycling are quantitatively dominant pathways of linoleate and α -linolenate metabolism, 477

EGGS

- high-docosahexaenoic acid, in late pregnancy, 407

EICOSANOID

- effects of fish oil on inflammatory, and cytokine production, 343

EICOSAPENTAENOIC ACID

- apoptosis induced by, depends on acyl coenzyme A-synthetase, 263
- average daily intake of, 391
- increments in plasma concentrations of, and docosahexaenoic acid given as capsules linearly correlate with intakes, 415
- levels of, maintained with consumption of red wine, 275
- triacylglycerol, and remnant-like particle-cholesterol, 353

ELECTROPHILES

- differences between bovine serum albumin and donor thiol nucleophiles in fetal bovine serum should be evaluated in biological studies involving arylating and alkylating, 973

ELECTROSPRAY IONIZATION MASS SPECTROMETRY

- divergent pattern of polyisoprenoid alcohols in tissues of *Coluria geoides* involving new, approach, 981
- structural analysis of buttermilk gangliosides by nano, 855
- tentative identification and quantification of triacylglycerol core aldehydes as dinitrophenylhydrazones in autoxidized sunflowerseed oil using reversed-phase high-performance liquid chromatography with, 1179

ELONGASE

- results suggest that final step in, activity in Atlantic salmon is also important point of regulatory control, 833

EMU OIL

- antagonism of croton oil inflammation by topical, in CD-1 mice, 603

EMULSIONS

- lipid molarity affects aroma partitioning and release from oil/water, 1075

ENDOTHELIAL CELLS

- measurement of activity in cultured pericytes and, isolated from bovine retina microcapillaries, 45

ENDOTHELIUM

- fatty acids and, -dependent vasodilation, 15
- fetal fatty acid profile closely resembles that of the vascular, and not the brain, 303

ENERGY DENSITY

- role of, on regulation of food intake and body weight, 109

ENTEROTOXIGENIC *Escherichia coli*

- strains of, bind bovine milk gangliosides in a ceramide-dependent process, 761

ENZYMATIC REACTION

- mass spectrometry experiments verified that diricinolein was formed in, experiments, 1197

ENZYME INHIBITOR

- emulsified sulfoquinovosyl acylglycerol as, on mammalian deoxyribonucleic acid polymerases, 1065

ENZYME-LINKED IMMUNOSORBENT ASSAY

- levels of interleukin-1 α and tumor necrosis factor- α mouse cytokines from plasma and tissue samples measured by, 603

ENZYME-RESISTANT FRACTION

- of beans lowered serum cholesterol and increased sterol excretions and hepatic mRNA levels in rats, 919

EPILEPSY

- brain levels of *N*-acylethanolamine phospholipids in mice during pentylentetrazol-induced, 387
 - which of the n-3 polyunsaturated fatty acids should be called, 1113
- ESSENTIAL FATTY ACID(S)**
- combined effects of, deficiency and tumor necrosis factor- α on circulating lipoproteins in rats, 595
 - decreased levels of polyunsaturated fatty acids in tissue lipids possibly caused by impaired desaturation of, precursors, 275
 - deficiency, 431
 - supplementation in children with inattention, hyperactivity, and other disruptive behaviors, 1007
 - which n-3 fatty acids should be called, 889
 - which of the n-3 polyunsaturated fatty acids should be called, 1113

ESTROGEN

- tamoxifen is potent antagonist of, 519

ETHANOL

- decreased content of long-chain polyunsaturated fatty acid, 275
- fatty acid ethyl esters used as markers of, intake, 269
- stearic acid stimulates fatty acid ethyl ester synthesis in human hepatoblastoma cells exposed to, 1051

ETHANOLYSIS

- regiospecific analysis by, of oil with immobilized *Candida antarctica* lipase, 1281

Eudistoma bituminis

- phospholipid fatty acids from Indian Ocean tunicates *Cystodytes violatinctus* and, 81

EVAPORATIVE LIGHT-SCATTERING DETECTOR

- used in analysis of phospholipids, 999

EXOCRINE PANCREATIC SECRETION

- comparison of effects of dietary sunflower oil and virgin olive oil on rat, *in vivo*, 1119

EXPRESSION

- cloning and, of an alkaline lipase gene, 191

EXTRACELLULAR POLYMERIC SUBSTANCES

- fatty acid profiles of lipid fractions in, of activated sludge flocs, 1093

F**FARNESOID X RECEPTOR**

- recognized as therapeutic target, 1149

FARNESOL

- over 48-h time span, is unable to maintain RAS isoprenylation in continuous presence of lovastatin, 751

Fasciola hepatica

- fatty acids bound to, 12 kDa fatty acid-binding protein, a candidate vaccine, differ from fatty acids in extracts of adult flukes, 769

FAT

- dietary, and body weight control, 123
- magnitude of postprandial lipemia is altered by positional distribution of saturated fatty acids in the, ingested, 693

FATS AND OILS

- history of, in Canada, 299

FAT-SOLUBLE VITAMINS

- concern with use of plant sterols is possible negative effect on concentrations of, 367

FATTY ACID ACTIVATION

- fatty acid uptake and, of eicosapentaenoic acid important for induction of apoptosis, 263

FATTY ACID ANALYSIS

lipids and, of canine prostate tissue, 665

FATTY ACID BINDING PROTEINS

fatty acids bound to *Fasciola hepatica* 12Da, differ from fatty acids in extracts of adult flukes, 769

FATTY ACID DESATURASES

activities of liver, in pregnant rats markedly affected by protein deficiency, 525

FATTY ACID DIOXYGENASE

appropriate to group linoleate diol synthase of *Gaeumannomyces graminis* and *Magnaporthe grisea* to same subfamily of, 1275

FATTY ACID ETHYL ESTER(S)

stearic acid stimulates, synthesis in human hepatoblastoma cells exposed to ethanol, 1051

FATTY ACID HYDROPEROXIDE LYASE

kinetics of barley, modulated by salts and detergents, 1167

FATTY ACID METHYL ESTER(S)

effect of methylation procedure on, in whole plasma and in major lipid fractions, 793

FATTY ACID OXIDATION

dietary n-3 fatty acids, and leptin, 1023

in various fish tissues, 1031

FATTY ACID SPECIFICITY

similar to those of other plant species, 881

FATTY ACID SYNTHASE

effect of oxidized fats on expression and activities of, 31

FATTY ACID UPTAKE

and activation of eicosapentaenoic acid important for induction of apoptosis, 263

n-3 FATTY ACID(S)

acute elevations of medium- and long-chain, have different impacts on endothelium-dependent vasodilation in humans, 15

and cardiovascular disease risk factors, 359

both sucrose-rich and starch-rich diets deficient in, 733

concentrations of, in placenta, 561

determination of, in cold water marine samples, 781

dietary intake of fish vs. formulations leads to higher plasma concentrations of, 415

dietary intakes and food sources of n-6 and, 391

fat content and, composition of liver, plasma, and feces of broiler chicks analyzed, 505

hyperphagia modifies, profiles of plasma phospholipids, plasma free fatty acids and adipose tissue triacylglycerols, 1127

influence of temperature and high dietary linoleic acid content on esterification, elongation, and desaturation of polyunsaturated, in Atlantic salmon hepatocytes, 833

intracellular pool sizes of different, can be easily manipulated through dietary means, 485

low intake of, from docosahexaenoic acid alone could increase length of gestation and birth weight, 407

measured in marine species most often eaten by the Bardi people of North Western Australia, 399

natural abundance stable carbon isotope evidence for the routing and *de novo* synthesis of bone, and cholesterol, 179

need for further research with, and vitamin E in children with behavioral disorders, 1007

of *Fasciola hepatica* native 12-kDa protein, 769

pharmacological modulation of, desaturation and of cholesterol biosynthesis in THP-1 cells, 841

phospholipid, from Indian Ocean tunicates *Eudistoma bituminis* and *Cystodytes violatinctus*, 81

phospholipid, of piezophilic bacteria from the deep sea, 885

profiles of, of lipid fractions in extracellular polymeric substances of activated sludge flocs, 1093

stearic acid stimulates, ethyl ester synthesis in human hepatoblastoma cells exposed to ethanol, 1051

structure and composition of constituent, of *Androsace septentrionalis* determined by various chromatographic and spectroscopic methods, 1173

transfer of, between leukocytes may play role in regulating inflammatory and immune responses, 633

which, should be called essential, 889

n-3 FATTY ACID DEFICIENCY

changes in electroretinogram associated with dietary, in animals and non-human primates, 437

docosapentaenoic acid accumulates in neuronal membranes during, 453

docosapentaenoic acid does not completely replace docosahexaenoic acid in rats with, during early development, 431

perinatal n-3, and blood pressure, 459

n-6 FATTY ACID(S)

dietary intakes and food sources of n-3 and, 391

extent of liver microsomal $\Delta 6$ - and $\Delta 5$ - desaturations of labeled linoleic and eicosatrienoic, 733

FATTY LIVER

hypolipidemic effects of pitavastatin and its fat-eliminating capacity on spontaneously developed, in aromatase-deficient mice, 519

FATTY LIVER SHIONOGI MICE

novel type hypertriglyceridemia observed in, 687

FEED EFFICIENCY

in mice calculated from food consumption and weight gain during 6-wk experimental period, 895

FENOFIBRATE

peroxisome proliferator-activated receptor α agonist, 497

FETAL BOVINE SERUM

thermochemolysis of γ -tocopheryl quinone adducts with, 973

FETUS

development of intestinal alkaline sphingomyelinase in rat, and newborn rat, 545

FIBROBLASTS

desaturation inhibited in cultured human skin, 469

FIMBRIAL ADHESIONS

differences in, could be due to different composition of ganglioside ceramide, 761

FISH

dietary intake of, vs. formulations leads to higher plasma concentrations of n-3 fatty acids, 415

docosahexaenoic acid synthesis in ceca of, 39

tissue deposition of n-3 fatty acid pathway intermediates in the synthesis of docosahexaenoic acid in, (rainbow trout), 925

FISH INTAKE

comparison of, and plasma phospholipid concentration of n-3 fatty acids among Québécois, Cree, and Inuit, 359

FISH OIL

administration of, -containing soy milk significantly increased eicosapentaenoic acid levels of red blood cells, 353

biomarker of n-3 compliance in patients taking, for rheumatoid arthritis, 419

effect of dietary, on inflammatory gene expression, 343

measure effect of orlistat on lymphatic fat transport after administration of safflower oil, and a randomized oil, 1039

polyunsaturated fatty acid desaturation in salmon fed linseed oil, rapeseed oil, and, 723

triacylglycerol in n-6 polyunsaturated fatty acid-rich adult mouse testis decreased significantly after consumption of, for 2 wk, 73

FISHING PATTERNS

fat, and health among the Bardi people of North Western Australia, 399

FLAXSEED

comparative effects of, and sesame seed on vitamin E and cholesterol levels in rats, 1249

FLORAL ORGANS

digalactosyldiacylglycerol is major glycolipid in, of *Petunia hybrida*, 1107

FLUORINATED FATTY ACIDS

study of activity of, as substrates and inhibitors of desaturases involved in biosynthesis of sex pheromonal blend of *Spodoptera littoralis*, 865

FLUORO-

presence of, chloro-, allyl, or methyl-allyl group offers new direction for study of physiological and pharmaceutical properties, 1293

FOOD INTAKES

and food sources of n-6 and n-3 polyunsaturated fatty acids, 391

FREE FATTY ACIDS

hyperphagia modifies fatty acid profiles of plasma phospholipids, plasma, and adipose tissue triacylglycerols, 1127

C₁₈ FURAN FATTY ESTER

synthesis of novel tri-substituted and tetra-substituted, 1293

G

GALACTOLIPID

digalactosyldiacylglycerol is major, in floral organs of *Petunia hybrida*, 1107

GANGLIOSIDES

enterotoxigenic *Escherichia coli* strains bind bovine milk, in a ceramide-dependent process, 761

transacylation of buttermilk, 855

GARLIC

protective action on human low density lipoprotein against oxidation and glycation by four organosulfur compounds derived from, 219

GAS CHROMATOGRAPHY-MASS SPECTROMETRY

analyses of cyanolipid fraction from guaraná oil by, 773

analysis of fatty acid methyl esters by, 885

each regioisomer determined by, 1287

structure and composition of constituent fatty acids of *Androsace septentrionalis* determined by various methods including, 1173

GAS CHROMATOGRAPHY-COMBUSTION-ISOTOPE RATIO MASS SPECTROMETRY

use of, to assess relative importance of routing and synthesis *de novo* for each bone lipid, 179

GAS-LIQUID CHROMATOGRAPHY

conjugated linoleic acid isomers usually quantified by, analysis as their methyl esters, 793

GASTRIC MUCOSA

phospholipid hydroperoxides detoxified in rat, 641

GENE EXPRESSION

investigation of effects of arachidonic and oleic acids on function and pleiotropic, of Raji cells, 1157

GENETICS

of obesity are more complicated than initially thought, 97

GERANYLGERANIOL

over 48-h time span, is able to maintain Rap1 isoprenylation in continuing presence of lovastatin, 751

GLUCOSE, ¹³C

effects of specific conjugated linoleic acid isomers on incorporation of, into individual fatty acids of adipocyte phospholipids and triacylglycerols, 1133

GLUCOSE-6-PHOSPHATE DEHYDROGENASE

effect of, in liver of rats treated with vitamin E or selenium, 31

GLUTATHIONE

electrophile tocopheryl quinones from phenolic antioxidants γ -tocopherol and δ -tocopherol form Michael adducts with thiol nucleophile, 973

GLUTATHIONE PEROXIDASE

detoxification of phospholipid hydroperoxides by, in rat gastric mucosa, 641

GLYCATION

protective action on human low density lipoprotein against oxidation and, by four organosulfur compounds derived from garlic, 219

GLYCEMIC INDEX

dietary, and the regulation of body weight, 117

GLYCEROLIPID

new, and ceramide from *Premna microphylla*, 1299

GLYCEROL-3-PHOSPHATE DEHYDROGENASE

biochemical marker of adipocyte differentiation, 289

GLYCEROPHOSPHOCHOLINE PHOSPHODIESTERASE

characterization of, activity and phosphatidylcholine biosynthesis in cultured retinal microcapillary pericytes, 45

GLYCOLIPIDS

measurement of fatty acids of, in activated sludge flocs and extracellular polymeric substances, 1093

GLYCOSPHINGOLIPIDS

buttermilk is potential source of, for dietary applications, 855

GLYCOSYLCERAMIDE

with novel ceramide and three novel ceramides from basidiomycete

Cortinarius umidicola, 669

G PROTEIN

enhancement of, -coupled signaling by docosahexaenoic acid phospholipids, 437

GRINDING

effect of ultrasonication and, on determination of lipid class content of microalgae harvested on filters, 1191

GROWTH

effects of high- γ -linolenic acid canola oil compared with borage oil on reproduction, and brain and behavioral development in mice, 171

effects of n-6 polyunsaturated fatty acid deficiency on, in rats, 187

GUANIDINE HYDROCHLORIDE

simple method for isolating apolipoprotein A-I in large quantities using, 209

GUARANÁ

plant native to Amazon jungle used as stimulant to relieve fatigue or exhaustion from hot weather, 773

H

HAIRY ROOT CULTURE

may be useful model in future studies, 981

HAMSTER

direct comparison of conjugated linoleic acid isomer effects in white and brown adipocytes in the Djungarian, 1133

effect of policosanols and phytosterols on lipid levels and cholesterol biosynthesis in, 165

effect of structure and form on ability of plant sterols to inhibit cholesterol absorption in the, 713

T HELPER 1 RESPONSE

production of antigen-presenting cell-derived interleukin-12 can direct, *via* induction of interferon- γ , 323

T HELPER 2 RESPONSE

research necessary to clarify effects of n-6 polyunsaturated fatty acids on antibody production in relation to, 323

HEMOPROTEIN

peroxygenase is plant enzyme functionally related to iron-containing, 255

HEMORRHAGIC STROKE

comparative health effects of margarines fortified with plant sterols and stanols on a rat model for, 1237

HEPATOCYTE(S)

fatty acyl desaturation/elongation in, significantly increased in diets containing vegetable oils, 723

influence of temperature and high dietary linoleic acid content on esterification, elongation, and desaturation of polyunsaturated fatty acids in, of Atlantic salmon, 833

CIS,CIS-9,12-HEXADECADIENOIC ACID

in *Androsace septentrionalis* (Primulaceae) seed oil, 1173

CIS-11-HEXADECENOIC ACID

in *Androsace septentrionalis* (Primulaceae) seed oil, 1173

HEXANE

commonly used for lipase-catalyzed reactions, 1197

HIGH DENSITY LIPOPROTEIN

study of metabolism of, constituents in humans, 209

HIGH DENSITY LIPOPROTEIN CHOLESTEROL

effect of conjugated linoleic acid supplementation on, 805

increased consumption of fish as source of n-3 fatty acids beneficially associated with levels of, cholesterol and triacylglycerols, 359

HIGH-FAT DIET

supplementation of, with n-3 polyunsaturated fatty acids enhanced *in vivo* insulin sensitivity, 1023

HIGH-PERFORMANCE LIQUID CHROMATOGRAPHY

light-scattering detection of phospholipids resolved by, 999

synthesized monohydroperoxides analyzed by normal-phase and reversed-phase, 1287

HIGH-PERFORMANCE SIZE-EXCLUSION CHROMATOGRAPHY

fractions of polar compounds analyzed by, 233

HISTONES

arylation may be new mechanism for modifications of, that affect

- chromatin dynamics leading to mutagenesis and carcinogenesis, 973
- HISTORY**
of fats and oils in Canada, 299
- HOPANOID BIOSYNTHESIS INHIBITION**
role of conjugated methyl sulfide and phenyl sulfide derivatives of oxidosqualene in, 201
- HORMONE-SENSITIVE LIPASE**
sterol-mediated regulation of, and/or neutral cholesterol esterase occurs in macrophages and adipocytes, 743
- HORSE MACKEREL**
effect of starvation on lipid metabolism and stability of docosahexaenoic acid in, 1263
- HUMAN**
fatty acids and endothelium-dependent vasodilation in the, 15
positional distribution of saturated fatty acids in dietary triacylglycerol affects absorption and metabolism *in vitro* but effects on, adults is unsubstantiated, 693
- HUMAN ERYTHROLEUKEMIA CELLS**
lack of stereospecificity in lysophosphatidic acid enantiomer-induced calcium mobilization in, 1057
- HUMAN PLASMA**
determination of *cis9-trans11*-conjugated linoleic acid in major, lipid classes using a combination of methylating methodologies, 793
- 7 α -HYDROLASE**
baboon liver biopsies assayed for, 1213
- HYDROPEROXIDE**
positional isomers of 1-palmitoyl-2-arachidonoyl-*sn*-glycero-3-phosphocholine, 65
- 25-HYDROXYCHOLESTEROL**
downregulates neutral cholesterol esterase activity by reducing amount of hormone-sensitive lipase protein in adipocytes, 743
- 26-HYDROXYCHOLESTEROL**
prevalent trivial name is 27-hydroxycholesterol but traditional name is, 1213
- 27-HYDROXYCHOLESTEROL**
prevalent trivial name is, but traditional name is 26-hydroxycholesterol, 1213
- 27-HYDROXYCHOLESTEROL-7 α -HYDROXYLASE**
baboon liver biopsies assayed for, 1213
- 2-HYDROXYESTRADIOL**
comparison of *ex vivo* inhibitory effect between, and its 17-sulfate on rat hepatic microsomal lipid peroxidation, 847
- 2-HYDROXYESTRADIOL 17-SULFATE**
as an antioxidant, 847
- HYDROXY FATTY ACID**
two distinct pathways for the formation of, from linoleic acid by lactic acid bacteria, 1269
- 3-HYDROXY-3-METHYLGLUTARYL-COENZYME A REDUCTASE**
clinical benefits of cholesterol reduction by, inhibitors established in large-scale prevention studies for coronary heart disease, 519
- HYDROXYLAMINE**
inhibited lipid peroxidation more effectively than corresponding parent nitroxyl radicals, 225
- 8-HYDROXYLINOLEIC ACID**
mycelia of two strains of *Magnaporthe grisea* incubated with linoleic acid and two main metabolites were identified as, and 7,8-dihydroxylinoleic acid, 1275
- (2S,3S,4R,11E)-2-[(2R)-2-HYDROXYTETRACOSANOYLAMINO]-11-OCTADECENE-1,3,4-TRIOL**
is new compound isolated from ethanolic extract of leaves of *Premna microphylla*, 1299
- HYPERCHOLESTEROLEMIA**
farnesoid X receptor has been recognized as putative pharmaceutical treatment target against, 1149
phytosterols have been shown to decrease total cholesterol and low density lipoprotein cholesterol in children with familial, 367
- HYPERPIEZOPHILIC BACTERIA**
purpose of study was to characterize phospholipid fatty acid profiles of piezo-tolerant, piezophilic, moderately piezophilic and, isolated from different areas in the deep sea, 885
- HYPERTENSION**
major risk factor for cardiovascular and cerebrovascular disease, 459
- I**
- IATROSCAN**
used to identify and quantify lipid classes using standard calibration curves obtained for each lipid class, 1191
- IMMOBILIZED LIPASE**
four different varieties of, were tested, 1197
- IMMUNE FUNCTION**
eicosanoid derivatives of arachidonic acid and eicosapentaenoic acid are signaling molecules that regulate, 1221
- IMMUNE SYSTEM**
polyunsaturated fatty acids and the, 323
- IMMUNIZATION**
procedures for, preferentially decreased linoleic acid and α -linolenic acid content of neck muscle antigen and adjuvant injection sites, 1221
- IMMUNOCYTOCHEMISTRY**
of differentiated salmon adipocytes in primary culture, 289
- IN VIVO KINETICS STUDY**
of apolipoprotein A-I, 209
- IN VIVO LYMPHATIC ABSORPTION**
rate of monounsaturated fatty acids varied following administration of liposomes to rats, 551
- INDUCTION PERIOD**
amounts of primary oxidation compounds accumulated during, decreased as temperature increased, 233
- INFANT NUTRITION**
and docosapentaenoic acid during early development, 431
- INFANTS**
women who consumed high-docosahexaenoic acid eggs during last trimester of pregnancy would have, with longer gestation and higher birth weight, 407
- INFLAMMATION**
and polyunsaturated fatty acid metabolism in pigs, 1221
benefits of n-3 polyunsaturated fatty acids in rheumatoid arthritis and other diseases with, 419
effect of vitamin E supplementation on chronic, 813
n-3 polyunsaturated fatty acids and, 343
sardine oil-rich diet increases iron absorption but does not compensate the hypoferrremia associated with, 821
- INFLAMMATORY CYTOKINES**
ex vivo secretion of, 377
- INSECT SEX PHEROMONE BIOSYNTHESIS**
demonstration that replacements of hydrogen atoms by fluorine mimic, potentiate, or inhibit action of natural products in, 865
- INSULIN**
hepatic $\Delta 9$ -, $\Delta 6$ -, and $\Delta 5$ -desaturations in non-, -dependent diabetes mellitus e Stillman-Salgado rats, 827
- INSULIN RESISTANCE**
desaturase activities in rat model of, induced by a sucrose-rich diet, 733
- INSULIN SENSITIVITY**
supplementation of high-fat diet with n-3 polyunsaturated fatty acids enhanced *in vivo*, 1023
- INTERCELLULAR LIPID TRANSFER**
physiological role of, on modulation of acceptor cell function *in vivo* still to be determined, 633
- INTERLEUKINS**
effect of conjugated linoleic acid on secretion of, 377
- INTERVENTION STUDY**
using n-3 long-chain polyunsaturated fatty acid for secondary prevention of coronary heart disease, 353
- INTESTINAL ABSORPTION**
responsible for disappearance of ingested plasmalogen from alimentary tract, 1227

INTESTINE

- alkaline sphingomyelinase present in, of many species, 545
- dietary supplementation with phosphatidylcholine reported to decrease cholesterol absorption in human, 705

INTRACELLULAR CHOLESTEROL

- specific role of, concentration in maintaining cell homeostasis, 9

INTRADUODENAL INFUSION

- analysis of digestion products in lumen and metabolic products in mucosa after, of diacylglycerol, 25

INTRAMYOCYLLULAR LIPID

- metabolism of, using proton magnetic resonance spectroscopy, 9

INTRAVENTRICULAR HEMORRHAGE

- complications of preterm, very-low-birth-weight babies include, 303

INUIT

- comparison of fish intake and plasma phospholipid concentrations of n-3 fatty acids among Québécois, Cree, and, 359

IRON ABSORPTION

- sardine oil-rich diet increases, but does not compensate the hypoferrremia associated with inflammation, 821

ISOMER

- distribution of hydroperoxide positional, generated by oxidation in liposomes, 65

ISOPRENOID FATTY ACIDS

- phytanic acid is an, usually found in marine organisms but identified for first time in tunicates, 81

ISOPRENOIDS

- among most numerous and diverse groups of natural products, 981

ISOPRENYLATION

- isoprenoid alcohols restore protein, in time-dependent manner independent of protein synthesis, 751

F₂-ISOPROSTANES

- effect of vitamin E supplementation on, 813

ISOTOPE RATIO MASS SPECTROMETRY

- ¹³C enrichments of fatty acid methyl esters analyzed by gas chromatography-combustion-, 1133

J

JELLYFISH

- occurrence of high levels of tetracosahexaenoic acid in the jellyfish *Aurelia* sp., 1207

K

RAF-1 KINASE

- membrane translocation is important step in activation of, 453

KINETICS

- analysis of, of selectivity of acylcarnitine synthesis in rat mitochondria, 485
- of barley fatty acid hydroperoxide lyase modulated by salts and detergents, 1167

L

LACTATION

- enterotoxigenic *Escherichia coli* strains assayed to determine whether they are able to bind gangliosides isolated from several stages of bovine, 761

- investigation as to whether feeding sows high α -linolenic acid prior to parturition and during, would increase n-3 polyunsaturated fatty acid composition of the suckling piglet, 1045

LACTIC ACID BACTERIA

- two distinct pathways for the formation of hydroxy fatty acid from linoleic acid by, 1269

LANOSTEROL BIOSYNTHESIS INHIBITION

- role of conjugated methyl sulfide and phenyl sulfide derivatives of oxidosqualene in, 201

(ω -1)-LAURATE HYDROXYLASE

- at end of feeding period, measured in liver subcellular fractions, 957

 ω -LAURATE HYDROXYLASE

- at end of feeding period, measured in liver subcellular fractions, 957

LEAN MASS

- effect of conjugated linoleic acid on body, 377

LEPTIN

- administration of, in animals reported to favor lipolysis and inhibit lipogenesis, 497
- dietary influence on, and obese gene expression, 513
- effect of conjugated linoleic acid supplementation on serum, 805
- hypotriglyceridemic effect of dietary n-3 fatty acids associated with increased β -oxidation and reduced, expression, 1023
- regulatory protein associated with adipocyte differentiation, 289

LEPTIN RECEPTOR

- increased fatty acid oxidation after n-3 polyunsaturated fatty acid supplementation of high-fat diet accompanied by increased hepatic, mRNA, 1023

LIFE SPAN

- mechanism by which plant stanols reduce, of stroke-prone spontaneously hypertensive rats may differ from that of plant sterols, 1237

LINOLEATE

- carbon from α -linolenate and, recycled into newly synthesized lipids, 477
- synthesis of fatty acid ethyl esters may be linked to desaturation and elongation of, to arachidonate, 269

LINOLEIC ACID

- average daily intake of, 391
- $\Delta 6$ -desaturation is rate-limiting step in conversion of, to arachidonic acid, 469
- high-, diets used to exacerbate n-3 polyunsaturated fatty acid deficiency, 187
- levels of, unchanged in rat kidney with consumption of water, ethanol, red wine, or alcohol-free red wine, 275
- procedures for immunization preferentially decreased, and α -linolenic acid content of neck muscle antigen and adjuvant injection sites, 1221
- production of specific structured triacylglycerol by batch interesterification of caprylic acid and, 903
- two distinct pathways for the formation of hydroxy fatty acid from, by lactic acid bacteria, 1269

LINOLENIC ACID

- absorbed equally as well as triacylglycerol or free fatty acid by fish, 39
- levels of, unchanged in rat kidney with consumption of water, ethanol, red wine, or alcohol-free red wine, 275

 α -LINOLENIC ACID

- average daily intake of, 391
- carbon from, and linoleate recycled into newly synthesized lipids, 477
- $\Delta 6$ -desaturation is initial reaction in conversion of, to eicosapentaenoic acid, 469
- dietary, increases n-3 polyunsaturated fatty acid content of sow's milk and tissues of suckling piglet, 1045
- docosahexaenoic acid is long-chain metabolite of the essential fatty acid, 459
- evaluation of utilization of, in growing rats consuming diet deficient in n-6 polyunsaturated fatty acids, 187
- higher levels of, produced lower plasma cholesterol concentrations, 1249
- procedures for immunization preferentially decreased linoleic acid and, content of neck muscle antigen and adjuvant injection sites, 1221

 γ -LINOLENIC ACID

- high, canola oil, borage oil, and mouse development, 171
- synthesis and isolation of *trans*-7,*cis*-9 octadecadienoic acid and other conjugated linoleic acid isomers by base conjugation of partially hydrogenated, 579

LINSEED OIL

- polyunsaturated fatty acid desaturation in salmon fed rapeseed oil, fish oil, and, 723

LIPASE

- catalyzed interesterification used to prepare structured triglycerides from coconut oil triglycerides by partially replacing some atherogenic saturated fatty acids with stearic acid, 913

LIPID(S)

- and fatty acid analysis of canine prostate tissue, 665
- extraction of, from cold-water marine samples, 781

- oils used in study contained either n-3 or n-9 polyunsaturated fatty acid, 603
- LIPID CLASS(ES)**
 decline in marine organisms of certain, and formation of artifacts during storage is constant issue in lipid studies, 1191
 lymph lipids separated into, and analyzed by gas chromatography-combustion-isotope ratio mass spectrometry, 903
 reduction in apparent digestibility of saturates due in part to increasing resistance of dietary triacylglycerol to digestion based on, composition of trout feces, 1031
- LIPIDEMIC EFFECTS**
 triglycerides containing stearic acid synthesized from coconut oil exhibit, in rats similar to those of cocoa butter, 913
- LIPID EMULSION**
 has appealing properties as drug carrier, 1065
- LIPID EPOXIDE**
 investigation of oat seeds, *Avena sativa*, for ability to replace acid catalysts in production of, 255
- LIPID FRACTIONS**
 analysis of fatty acid contents in individual, from human placental tissue, 561
- LIPID HYDROPEROXIDATION**
 description of, 1287
- LIPID METABOLISM**
 intramyocellular, using proton magnetic resonance spectroscopy, 9
- LIPID PEROXIDATION**
 antioxidant action of a lipophilic nitroxyl radical against, under hypoxic conditions, 225
 comparison of *ex vivo* inhibitory effect between 2-hydroxyestradiol and its 17-sulfate on rat hepatic microsomal, 847
 phagocyte-induced, shown to be lower during Structolipid® incubation than during incubation with Intralipid® *in vitro*, 15
- LIPID STRUCTURE**
 molarity of lipid phase proposed to influence volatile behavior in emulsions apart from chemical, 1075
- LIPID SYNTHESIS**
 and acyl-coenzyme A synthetase in developing rice seeds, 881
- LIPOLYSIS**
 3T3-L1 adipocytes are major site of, by hormone-sensitive lipase, 743
- LIPOLYSACCHARIDES**
 fatty acids from, of activated sludges and extracted extracellular polymeric substances determined on samples from two wastewater treatment plants, 1093
- LIPOPROTEIN LIPASE**
 tumor necrosis factor- α decreased adipose tissue, activity in both control and essential fatty acid deficient rats, 595
- LIPOPROTEINS**
 combined effects of essential fatty acid deficiency and tumor necrosis factor- α on circulating, in rats, 595
- LIPOSOME(S)**
 distributions of hydroperoxide positional isomers generated by oxidation in, 65
 α -tocopherol added to fish oil and incorporated into, membrane, 551
- LIVER**
 comparison of metabolism of two main isomers of conjugated linoleic acid using, slice model, 157
 cyclic fatty acid monomer feeding caused accumulation of lipids in the, of female peroxisome proliferator-activated receptor α -null mice, 957
 fatty acid ethyl esters detectable in blood, and adipose tissue after ethanol ingestion, 269
 hypotriglyceridemic effect of dietary n-3 polyunsaturated fatty acids is associated with stimulation of fatty acid oxidation in the, and to smaller extent in skeletal muscle, 1023
 of Atlantic salmon perfused and parenchymal cells prepared using two-step collagenase perfusion procedure, 833
 oxidized fats contain substances that suppress gene expression of lipogenic enzymes in the, 31
- LIVER CHOLESTEROL**
 total, pools lower in hamsters fed soybean sterols, 713
- LONG-CHAIN FATTY ACID**
 uptake of, by skeletal muscle is impaired in homozygous, but not heterozygous heart-type-fatty acid-binding protein null mice, 491
- LONGITUDINAL STUDY**
 of normal pregnant women with three cutoff points during pregnancy and at delivery, 1
- LOW DENSITY LIPOPROTEIN CHOLESTEROL**
 phytosterols have been shown to decrease total cholesterol and, 367
- LOW DOSE**
 possible that, of n-3 long-chain polyunsaturated fatty acid may significantly reduce serum levels of triacylglycerols and remnant-like particle-cholesterol, 353
- LOW-FAT**
 new food formulations being evaluated using phytosterols incorporated into, and reduced-fat food items, 367
- LOW-PROTEIN DIET**
 desaturase enzymes in monkeys and, 525
- LUNG SURFACTANT**
 major survival challenge of premature birth is production of, 425
- LYMPHATIC ABSORPTION**
 effect of orlistat on, in rats, 1039
 study indicates that, pattern of exogenous linoleic acid following administration of specific structured triacylglycerols tends to be different from that of long-chain triacylglycerol, 903
- LYMPHOCYTE(S)**
 feeding mice fish oil-rich diet significantly decreased level of interleukin-1 α mRNA in lipopolysaccharide-stimulated spleen, 343
 transfer of arachidonic acid from, to macrophages, 633
- B-LYMPHOCYTE**
 specific effects of fatty acids on, function, 1157
- LYMPHOMA CELL LINE**
 investigation of, for sensitivity to fatty acid based on cell proliferation and cell death, 263
- LYSOPHOSPHATIDIC ACID**
 lack of stereospecificity in, enantiomer-induced calcium mobilization in human erythroleukemia cells, 1057
- LYSOPHOSPHATIDYLCHOLINE**
 accumulation of lutein in liver enhanced by, 705

M

- MACROPHAGE(S)**
 fish oil lowered lipopolysaccharide-stimulated tumor necrosis factor- α mRNA levels in murine peritoneal, 343
 transfer of arachidonic acid from lymphocytes to, 633
- MAGNESIUM²⁺**
 known to prevent action and binding of polymyxin B to bacterial membrane, 965
- MALABSORPTION**
 comparison in normal rats and rats with fat, 1039
- MAMMALIAN TESTIS**
 very long chain polyunsaturated fatty acids of, 73
- MARINE**
 fatty acid determination in cold-water, samples, 781
- MARINE ENVIRONMENT**
 origin of *cis*-vaccenic acid photodegradation products in, 1085
 potential sources of several acyclic isoprenoid compounds in the, 241
- MASS SPECTROMETRY**
 tentative identification and quantification of triacylglycerol core aldehydes as dinitrophenylhydrazones in autoxidized sunflowerseed oil using reversed-phase high-performance liquid chromatography with electrospray ionization, 1179
 used in analysis of phosphatidylserine molecular species, 453
- MECHANISTIC ASPECTS**
 characterization of oxidation products and, 241
- MEDITERRANEAN DIET**
 virgin olive oil is typical component of, and good source of monounsaturated fatty acid, 1119
- MEMBRANE FATTY ACID**
 profile of, profoundly altered by type of dietary fat given, 1119
- METABOLIC CLEARANCE**
 difference in persistence of inhibitory effect between 2-hydroxyestradiol

- and 2-hydroxyestradiol 17-sulfate may be related to their, from the blood, 847
- METABOLISM**
- dietary conjugated linoleic acid affects lipid, in broiler chicks, 505
 - hepatic, of conjugated linoleic acid in rats, 157
 - potential sparing effect of α -linolenic acid on requirements for and, of linoleic acid, 187
- METHYLATION**
- effect of, procedure on fatty acid methyl esters in whole plasma and in major lipid fractions, 793
- 2-METHYLPROPENYL**
- synthesis of novel tri- and tetrasubstituted C_{18} furan fatty esters, 1293
- METHYL SULFIDES**
- conjugated, and phenyl sulfide derivatives of oxidosqualene as inhibitors of oxidosqualene and squalene-hopene cyclases, 201
- MICELLES**
- hydrolysis of phosphatidylcholine to lysophosphatidylcholine plays important role in intestinal uptake of carotenoids solubilized in mixed, 705
- MICHAEL ADDUCTS**
- electrophile tocopheryl quinones from phenolic antioxidants γ -tocopherol and δ -tocopherol form, with thiol nucleophile glutathione, 973
- MICROBIAL TRANSFORMATION**
- little known about, of linoleic acid, 1269
- MICROSATELLITE ANALYSIS**
- performed to define chromosome responsible for pre α -lipoprotein phenotype in fatty liver Shionogi mice, 687
- MICROSPORE-DERIVED**
- examination of properties of microsomal acyl-coenzyme A:lysophosphatidylcholine acyltransferase from, cell suspension cultures of *Brassica napus*, 651
- MILK**
- trans*-octadecenoate isomers in, 1143
 - phospholipids in, fat by phosphorus-31 nuclear magnetic resonance, 585
- MILK FAT**
- greater polyunsaturated fatty acid content in, from pastured cows of the Alps compared with indoor cows, 657
- MITOCHONDRIA**
- kinetic analysis of selectivity of acylcarnitine synthesis in rat, 485
- MODELING**
- mathematical, to predict flavor release from oil/water emulsions recently presented and experimentally validated, 1075
- MODERATELY PIEZOPHILIC BACTERIA**
- purpose of study was to characterize phospholipid fatty acid profiles of piezo-tolerant, piezophilic, hyperpiezophilic, and, isolated from different areas in the deep sea, 885
- MOLARITY**
- lipid, affects aroma partitioning and release from oil/water emulsions, 1075
- MOLECULAR DYNAMICS SIMULATIONS**
- comparison of measured order parameters with results from, 445
- MONKEYS**
- desaturase enzymes in, and low-protein diet, 525
- MONOGALACTOSYLDIACYLGLYCEROL**
- digalactosyldiacylglycerol more abundant than, in pistils and petals of *Petunia hybrida*, 1107
- MONOGALACTOSYLDIACYLGLYCEROL SYNTHASE**
- identification of isoform of, expressed specifically in floral organs, 1107
- MONOUNSATURATED FAT**
- diet rich in, tended to increase circulating leptin levels, 513
- MONOUNSATURATED FATTY ACIDS**
- Jersey-sired cattle had significantly higher concentrations of total, than Limousin-sired cattle, 539
- MONOVALENT CATION**
- kinetics of reaction highly modulated, depending on concentration of, and/or detergent in reaction mixture, 1167
- MOUSE**
- N*-acylethanolamine phospholipids in, brain, 387
 - effect of conjugated fatty acid on feed intake, body composition, and liver fatty acid in the, 895
 - high- γ -linolenic acid canola oil, borage oil, and development of the, 171
 - impact of dietary fatty acid and energy restriction on plasma leptin and obese gene expression in the, 513
 - long-chain fatty acid uptake by skeletal muscle is impaired in homozygous heart-type-fatty acid-binding protein null, 491
 - peroxisome proliferator-activated receptor α not exclusive mediator of effects of dietary cyclic fatty acids in the, 957
- MUSHROOM**
- chemical constituents of, *Cortinarius tenuipes*, 81
- N**
- NERVOUS SYSTEM**
- functional deficits in, associated with n-3 fatty acid deficiency, 431
- NEURAL GENE EXPRESSION**
- regulator of, 303
- NEURO 2A CELLS**
- docosapentaenoic acid enrichment protected against cell death induced by staurosporine treatment in, 453
- NEUTRAL CHOLESTEROL ESTERASE**
- sterol-mediated regulation of hormone-sensitive lipase/, occurs in macrophages and adipocytes, 743
- NEUTRAL LIPIDS**
- fatty acids from, of activated sludges and extracted extracellular polymeric substances determined on samples from two wastewater treatment plants, 1093
- NEUTRAL SPHINGOMYELINASE**
- liver plasma membrane, 53
- NEWBORN**
- development of intestinal alkaline sphingomyelinase in rat fetus and, rat, 545
- NICARDIPINE**
- and curcumin decreased $\Delta 5$ -desaturation with limited effect on cholesterol synthesis, 841
- NITRIC OXIDE**
- methacholine chloride mediates vasodilation by increased production of, 15
- NITROXYL RADICAL**
- antioxidant action of a lipophilic, 225
- NONAPEPTIDE**
- as effective as whole antibiotic, 965
- NON-INSULIN-DEPENDENT DIABETES MELLITUS**
- hepatic $\Delta 9$ -, $\Delta 6$ -, and $\Delta 5$ -desaturations in, eSS rats, 827
- NONPOLAR LIPIDS**
- in *Chenopodium album* from diverse soils, 567
- NORMAL-PHASE SILICA COLUMN**
- improved method for analysis of phospholipids using, 999
- NUCLEAR MAGNETIC RESONANCE**
- analyses by, indicated that type I cyanolipids are present in oil from *Paullinia cupana*, 773
 - structural studies, 445
 - studies with, used to determine purity, 1197
- NUCLEAR RECEPTOR**
- bile acid receptor is member of, hormone superfamily, 1149
- NUCLEOPHILES**
- cytotoxicity of electrophilic quinones produced from benzene, estrogens, and polycyclic aromatic hydrocarbons attributed to the arylation of cellular, 973
- NUTRITIONAL INDEX**
- of n-3 polyunsaturated fatty acid intake, 419
- NUTRITIONAL PROGRAMMING**
- of bile acid pathways, 1213
- O**
- OBESSE GENE EXPRESSION**
- dietary influence on leptin and, 513

OBESITY

- animal model of developed, shows that long-term consumption of ordinary high-energy diet is consistent with changes associated with increased risk of various diseases in humans, 1127
- calcium, dairy, and, 139
- genetics of, are more complicated than initially thought, 97
- overview of, 93
- sedentary lifestyle and risk of, and type 2 diabetes, 103
- treatment and prevention of, 147
- use of diacylglycerol oil in prevention of, 129

CIS, CIS, CIS-OCTADEC-3,9,12-TRIENOIC (Z,Z,Z-OCTADEC-3,9,12-TRIENOIC) ACID

- occurrence of a novel, in *Chrysanthemum (Tanacetum) zawadskii* herb (Compositae) seed oil, 573
- 1-O-(9Z,12Z,15Z-OCTADECATRIENOYL)-3-O-[β -D-GALACTO-PYRANOSYL-(1 \rightarrow 6)O- β -D-GALACTOPYRANOSYL-(1 \rightarrow 6)- α -D-GALACTOPYRANOSYL]GLYCEROL
- is new compound isolated from ethanolic extract of leaves of *Premna microphylla*, L1299

CIS-OCTADECENOATE

- distribution profile of, isomers in milk shows significant differences when compared to that in the dams' diet, 1143

TRANS-OCTADECENOATE

- distribution profile of, isomers in milk is identical to that in the dams' diet, 1143

OILS

- within genus *Paullinia*, several species have been studied for lipid content of their seed, 773

OILSEED RAPE

- examination of properties of microsomal acyl-coenzyme A:lysophosphatidylcholine acyltransferase from microspore-derived cell suspension cultures of, *Brassica napus*, 651

OLEIC ACID

- genes regulated by arachidonic acid and, in Raji cells, 1157
- regulation of palmitoyl-coenzyme A chain elongation and its contribution to, formation investigated in rat liver, 531

OLIVE OIL

- comparison of effects of dietary sunflower oil and virgin, on rat exocrine pancreatic secretion *in vivo*, 1119
- transfer of carotenoids from carrot juice and homogenized spinach into, under conditions pertaining to gastric environment, 933

OPTIMIZATION

- of methods for fatty acid analysis in various sample types present in the marine environment, 781

ORGANOSULFUR COMPOUNDS

- protective action on human low density lipoprotein against oxidation and glycation by four, derived from garlic, 219

ORLISTAT

- effect of, on fat absorption in rats, 1039

Oryza sativa

- cultivar of japonica rice used in determination of lipid and fatty acid contents, 881

OXIDATION

- effect of temperature and addition of α -tocopherol on the, of trilinolein model systems, 233
- in vivo* polyunsaturated fatty acid, processes, 551
- protective action on human low density lipoprotein against, and glycation by four organosulfur compounds derived from garlic, 219

 β -OXIDATION

- and carbon recycling, 477
- of fatty acids increases in stimulated lymphocytes, 1221
- raised intake of α -linolenic acid in pigs reduces, of linoleic acid by 60%, 187

OXIDATIVE INACTIVATION

- protective action of conjugated linoleic acid against, of paraoxonase 1, 615

OXIDIZED FAT

- effects of fresh and heat-treated dietary, on expression and activities of hepatic lipogenic enzymes in rats, 31

OXIDIZED LIPOPROTEINS

- causal relation between, and development of atherosclerosis, 1287

OXIDIZED TRIACYLGLYCEROL

- effects of temperature and addition of α -tocopherol evaluated in trilinolein model systems through quantification of, monomers, 233

OXIDOSQUALENE CYCLASE

- conjugated methyl sulfide and phenyl sulfide derivatives of oxidosqualene as inhibitors of, and squalene-hopene cyclase, 201

OXYSTEROL

- and programming of bile acid pathways by infant diet, 1213

P

PALM OIL

- interactive effects of dietary, concentration and water temperature on lipid digestibility in rainbow trout, 1031

PALMITIC ACID

- and premature baboon lung fatty acids, 425

PALMITOYL-COENZYME A CHAIN ELONGATION

- regulation by carbohydrate and clofibrate acid of, in the liver of rats, 531

PALMITOYL-COENZYME A OXIDASE

- at end of feeding period, measured in liver subcellular fractions, 957

PARAOXONASE 1

- protection of, by conjugated linoleic acid, 615

PARTIALLY HYDROGENATED VEGETABLE OILS

- hypothesized that isomer profile of individual *trans*-octadecenoate acids in human milk could be used to assess relative contributions of, 1143

PARTITIONING

- lipid molarity affects aroma, and release from oil/water emulsions, 1075

PATATIN

- determination of phospholipase activity of, by continuous spectrophotometric assay, 677

Paullinia cupana

- seed oil composition of, 773

Paullinia sorbilis

- seed oil composition of, 773

PAULLINIC ACID

- is abundant component of oil from *Paullinia cupana*, 773

Penicillium cyclopium

- cloning of an alkaline lipase gene from, and its expression in *Escherichia coli*, 191

Penicillium roquefortii

- four different immobilized lipases tested including, 1197

PEPSIN

- for both carrots and spinach, hydrolyzes insoluble protein and enhances transfer of carotenoids to oil, 933

PERIVENTRICULAR LEUCOMALACIA

- complications of preterm, very-low-birth-weight babies include, 303

PEROXIDASE

- linoleate diol synthase of the rice blast fungus *Magnaporthe grisea*, 1275

PEROXIDES

- protection against inactivation of paraoxonase 1 by, 615

PEROXIDE VALUE

- method for determination of, 1179

PEROXISOME PROLIFERATOR-ACTIVATED RECEPTOR α

- is not exclusive mediator of effects of dietary cyclic fatty acids in mice, 957

- mediated transcripts altered after fenofibrate treatment, 497

PEROXISOME PROLIFERATOR-ACTIVATED RECEPTOR γ

- regulatory protein associated with adipocyte differentiation, 289

PEROXYGENASE

- isolation of unsaturated diols after oxidation of conjugated linoleic acid with, 255

Petunia hybrida

- digalactosyldiacylglycerol is major glycolipid in floral organs of, 1107

PHAGOCYTOSIS

- investigation of functional impact on macrophage, 633

PHASE TRANSITION

- lipid, from liquid to solid state does not affect flavor partitioning and release, 1075

PHENYL SULFIDES

conjugated methyl sulfide and, derivatives of oxidosqualene as inhibitors of oxidosqualene and squalene-hopene cyclases, 201

PHOSPHATIDYLCHOLINE

accumulation of β -carotene and lutein in plasma and liver suppressed by, 705
 characterization of glycerophosphocholine phosphodiesterase activity and, biosynthesis in cultured retinal microcapillary pericytes, 45
 oxidation of, 65
 preservation of docosahexaenoic acid in cell membrane lipid, and phosphatidylethanolamine necessary for self-protection functions in starving fish, 1263
 with polyunsaturated acyl groups is derived from fatty acid desaturation, 651

PHOSPHATIDYLETHANOLAMINE

preservation of docosahexaenoic acid in cell membrane lipid phosphatidylcholine and, necessary for self-protection functions in starving fish, 1263

PHOSPHATIDYLSERINE

is important component for observed protective effect of docosahexaenoic acid, 453

PHOSPHOLIPASE

determination of, activity of patatin by continuous spectrophotometric assay, 677

PHOSPHOLIPASE A₂

detoxification of phospholipid hydroperoxides by, in rat gastric mucosa, 641

PHOSPHOLIPASE D

determination of activity of *N*-acylethanolamine phospholipid-hydrolyzing, in brain membrane preparations from adult and 3-d-old mice, 387

PHOSPHOLIPID(S)

cholesteryl esters and, in maternal and cord plasma, 1
 effect of conjugated linoleic acid supplementation on, 805
 examination of absorption of plasmalogen in bovine brain, incorporated into test diets, 1227
 fatty acids from, of activated sludges and extracted extracellular polymeric substances determined on samples from two wastewater treatment plants, 1093
 hyperphagia modifies fatty acid profiles of plasma, plasma free fatty acids, and adipose tissue triacylglycerols, 1127
 in milk fat by phosphorus-31 nuclear magnetic resonance, 585
 investigation of, of Indian Ocean tunicates, 81
 light-scattering detection of, resolved by high-performance liquid chromatography, 999
 study as to whether conjugated linoleic acid isomers and other C₁₈ fatty acids affect fatty acid synthesis from glucose in triacylglycerols and, of primary brown and white adipocytes, 1133

PHOSPHOLIPID ENZYMES

assays of, 45

PHOSPHOLIPID FATTY ACID COMPOSITION

measurement of, of liver and erythrocytes in monkeys fed control or low-protein diet during postweaning period, 525

PHOSPHOLIPID HYDROPEROXIDES

detoxification of, in rat gastric mucosa, 641

PHOSPHORUS-31 NUCLEAR MAGNETIC RESONANCE

quantitative characterization of phospholipids in milk fat by, 585

PHOTODEGRADATION PRODUCTS

origin of *cis*-vaccenic acid, marine environment, 1085

PHOTOOXIDATION

of the phytol chain and subsequent alkaline hydrolysis, 241

PHYTANIC ACID

identified for first time in tunicates, 81

PHYTOPLANKTON

determination whether autooxidative process may operate on the chlorophyll phytol side chain in senescent, cells, 241

PHYTOSTEROL(S)

and human lipid metabolism, 367
 effect of policosanols and, on lipid levels and cholesterol biosynthesis in hamsters, 165
 plant sterols or, are dietary components that reduce blood total and low density lipoprotein cholesterol levels, 713

PIEZOPHILIC BACTERIA

phospholipid fatty acids of, from the deep sea, 885

PIG

inflammation and polyunsaturated fatty acid metabolism in the, 1221

PIGLET

dietary α -linolenic acid increases n-3 polyunsaturated fatty acid content of sow's milk and tissues of suckling, 1045

PLACENTA

fatty acid concentrations in, 561

PLANT SECONDARY METABOLITES

used as models for biochemical studies, 981

PLANT STANOLS

comparative health effects of margarines fortified with plant sterols and, on a rat model for hemorrhagic stroke, 1237

PLANT STEROLS

comparative health effects of margarines fortified with, and plant stanols on a rat model for hemorrhagic stroke, 1237
 effect of structure and form on ability of, to inhibit cholesterol absorption in hamsters, 713

PLASMA

prolonged excessive energy intake in rats alters fatty acid composition of, phospholipids and adipose tissue triacylglycerols, 1127

PLASMALOGEN

absorption of, 1227

POLARITY

processes depend on, of volatiles and are governed by Nernst's law of partitioning, 1075

POLICOSANOL

effect of, and phytosterols on lipid levels and cholesterol biosynthesis in hamsters, 165

POLYAMINES

experiments involving action of, on bacterial and microsomal glycerophosphate acyltransferase mostly done in presence of bovine serum albumin, 965

POLYDIPSIA

symptom of, reported among children with attention-deficit/hyperactivity disorder as well as those with essential fatty acid deficiency, 1007

POLYMERS

effects of temperature and addition of α -tocopherol evaluated in trilinolein model systems through quantification of, 233

POLYPRENOL

polyisoprenoid alcohols of plant *Coluria geoides* isolated and analyzed to determine nature of, and dolichol mixture in various plant organs, 981

POLYUNSATURATED FATTY ACID(S)

desaturation in salmon fed vegetable oil, 723

detected in trace amounts in *Cystodytes violatinctus* and *Eudistoma bituminis*, 81

dietary α -linolenic acid increases n-3, 1045

dietary intakes and food sources of n-6 and n-3, 391

inflammation and, metabolism in pigs, 1221

n-3, and inflammation, 343

oils used in study contained either n-3 or n-9, 603

requirement for, high for pregnant women and developing fetus, 1

whole-body utilization of n-3, in n-6, -deficient rats, 187

n-3 POLYUNSATURATED FATTY ACID(S)

and the immune system, 323

biomarker of, compliance in patients taking fish oil for rheumatoid arthritis, 419

dietary, increased iron absorption but did not restore hypoferrremia associated with inflammation in rats, 821

effect of dietary, on bone cell functions and bone modeling parameters, 683

hypotriglyceridemic effect of dietary, is associated with stimulation of fatty acid oxidation in the liver and to smaller extent in skeletal muscle, 1023

intermediate, in trout, 925

maternal dietary fatty acid modulates long-chain, status of broiler chick cardiac tissue, 1257

which of the, should be called essential, 1113

n-6 POLYUNSATURATED FATTY ACID(S)

- and the immune system, 323
- very long chain, in mammalian testes, 73
- POLYUNSATURATED FATTY ACID BIOAVAILABILITY**
 - higher after liposome administration than after fish oil administration, 551
- POLYUNSATURATES**
 - baboon lung fatty acids and supplementation with long-chain, 425
- POLYUNSATURATION**
 - nature of perturbations caused by, 445
- POLYURIA**
 - symptom of, reported among children with attention-deficit/hyperactivity disorder as well as those with essential fatty acid deficiency, 1007
- POSITIONAL DISTRIBUTION**
 - magnitude of postprandial lipemia is altered by, of saturated fatty acids in ingested fat, 693
- POSTMORTEM**
 - routine, toxicology screening tests of blood ethanol level and other drugs, 269
- POSTPRANDIAL LIPEMIA**
 - increased, is risk factor for cardiovascular disease, 693
- PREADIPOCYTE**
 - in vitro* method for studying proliferation and differentiation of, in Atlantic salmon, 289
- PREGNANCY**
 - fatty acid composition of cholesteryl esters and phospholipids in maternal plasma during, and at delivery and in cord plasma at birth, 1
 - high-docosahexaenoic acid eggs in late, 407
- PREMATURE LUNG**
 - influence of dietary long-chain polyunsaturated fatty acid on baboon, fatty acids and dipalmitoyl phosphatidylcholine, 425
- PREMATURITY**
 - complications of preterm, very-low-birth-weight babies include retinopathy of, 303
- Prerna microphylla*
 - new glyceroglycolipid and ceramide from, 1299
- PREPARATIVE SILVER ION THIN-LAYER CHROMATOGRAPHY**
 - of fatty acid methyl esters, 1173
- PREVENT**
 - diets could, many diseases, 317
- PRIMARY CULTURE**
 - proliferation and differentiation studied in preadipocytes grown in, 289
- Primula nutans*
 - seed oil fatty acid fingerprint of, 1173
- PRIMULACEAE**
 - isomers of hexadecenoic and hexadecadienoic fatty acids in *Androsace septentrionalis*, seed oil, 1173
- PROLIFERATION**
 - correlate effects of fatty acids on cytokine production, cell, and cytotoxicity with changes in gene expression, 1157
- PROSTAGLANDINS**
 - effect of conjugated linoleic acid on secretion of, 377
- PROSTANOIDS**
 - localization of, within a soft coral, 991
- PROTECTION**
 - of paraoxonase 1 by conjugated linoleic acid, 615
- PROTEIN ADDUCT**
 - mechanism of, formation, 873
- PROTEIN ISOPRENYLATION**
 - evaluation of possible involvement of, in desaturase activity, 841
- PROTEINURIA**
 - dietary conjugated linoleic acid decreased weight loss and extended survival following onset of, in F1 hybrid New Zealand Black/White mice, 21
- PROTEOLYSIS**
 - sterol-mediated, may be involved in loss of hormone-sensitive lipase protein, 743
- PROTON MAGNETIC RESONANCE SPECTROSCOPY**
 - intramyocellular lipid metabolism using, 9

Q

QUANTITATIVE ANALYSIS

- methyl ester derivatives must be formed before qualitative and, of fatty acids in cold-water marine samples, 781
- of phospholipids in milk fat by phosphorus-31 nuclear magnetic resonance, 585

R

RABBITS

- evaluation of apolipoprotein A-I kinetics in, *in vivo* using *in situ* and exogenous radioiodination methods, 209
- serum and aortic levels of photosterols in, fed sitosterol or sitostanol ester preparations, 1115

RAINBOW TROUT

- interactive effects of dietary palm oil concentration and water temperature on lipid digestibility in, 1031

RANDOMIZED OIL

- measure effect of orlistat on lymphatic fat transport after administration of safflower oil, fish oil, and a, 1039

Ranunculus repens

- extracts of seeds of, used as reference substances for comparison and co-chromatography, 1173

RAP1

- over 48-h time span geranylgeraniol is able to maintain, isoprenylation in continuing presence of lovastatin, 751

RAPESEED OIL

- polyunsaturated fatty acid desaturation in salmon fed linseed oil, fish oil, and, 723

RAS

- over 48-h time span farnesol is unable to maintain, isoprenylation in continuing presence of lovastatin, 751

RAT(S)

- comparative effects of flaxseed and sesame seed on vitamin E and cholesterol levels in, 1249
- development of intestinal alkaline sphingomyelinase in, fetus and newborn, 545
- effect of orlistat on fat absorption in, 1039
- effects of dietary thermoxidized fats on expression and activities of hepatic lipogenic enzymes in the, 31
- hepatic metabolism of conjugated linoleic acid in the, 157
- impact of dietary n-3 fatty acid deficiency on, bone tissue fatty acid composition, 683
- ingestion of plasmalogen markedly increased plasmalogen levels of blood plasma in, 1227
- prolonged excessive energy intake in, alters fatty acid composition of plasma phospholipids and adipose tissue triacylglycerols, 1127
- recoveries of, lymph fatty acids after administration of specific structured ¹³C-triacylglycerol, 903
- sardine oil-rich diet increases iron absorption but does not compensate the hypoferrremia associated with inflammation in the, 821
- whole-body utilization of n-3 polyunsaturated fatty acids in, that are n-6 polyunsaturated fatty acid-deficient, 187

RAT HEPATIC MICROSOME(S)

- 2-hydroxyestradiol 17-sulfate disappeared from, within 2 h after administration, 847

RAT HEPATOCYTE GENE EXPRESSION

- inhibition of cholesterol acyltransferase reported to supply substrate for bile acid synthesis and induce, 53

REACTION SYSTEM

- oxidizability of polyunsaturated glycerophospholipids in, 65

RECIPROCAL REPLACEMENT

- of docosahexaenoic acid by docosapentaenoic acid in rats, 431

RED WINE

- effects of, consumption on kidney fatty acid composition, 275

REGIOSPECIFIC ANALYSIS

- by ethanolysis of oil with immobilized *Candida antarctica* lipase, 1281

RELATIVE FATTY ACID COMPOSITIONS

- in placental lipid fractions, 561

REMOTE FUNCTIONALIZATION

of unactivated carbon atoms in steroids, 281

REPLETION

with control diet unable to nullify hypertensive effects of perinatal n-3 polyunsaturated fatty acid deficiency, 459

RETINA PERICYTES

oxidative stress able to exacerbate cytotoxic effect in, 45

RETINOID X RECEPTOR

plausible that docosahexaenoic acid operates as ligand for, in developing brain, 303

REVERSE-TRANSCRIPTION POLYMERASE CHAIN REACTION

quantitative analysis by, to determine effects of 25-hydroxycholesterol on expression of hormone-sensitive lipase mRNA, 743

REVERSED-PHASE HIGH-PERFORMANCE LIQUID CHROMATOGRAPHY

tentative identification and quantification of triacylglycerol core aldehydes as dinitrophenylhydrazones in autoxidized sunflowerseed oil using, with electrospray ionization mass spectrometry, 1179

RHEUMATOID ARTHRITIS

biomarker of n-3 compliance in patients taking fish oil for, 419

RICE SEEDS

lipid synthesis and acyl-coenzyme A synthetase in developing, 881

S

SAFFLOWER OIL

measure effect of orlistat on lymphatic fat transport after administration of, fish oil, and a randomized oil, 1039

SAPINDACEAE

seeds of many species of, rich in oils that contain acylglycerols and cyanolipids, 773

SATURATED FAT

plasma leptin concentrations lower in, diet, 513

SCAVENGER RECEPTOR-CLASS B1 mRNA

level of hepatic, in enzyme-resistant fraction of tebou starch group was significantly higher than in the cellulose powder group, 919

SECOISOLARICRESINOL DIGLYCOSIDE

scavenges hydroxyl radicals in *in vitro* experiments, 1249

SECONDARY METABOLITES

impact of environment on production of, by plants, 567

SEED OILS

Androsace septentrionalis studied for fatty acid composition and content of, 1173

novel isomeric octadecatrienoic acid from, of *Chrysanthemum zawadskii* herb, 573

SEIZURE

brain levels of *N*-acylethanolamine phospholipids in mice during pentylenetetrazol-induced, 387

SELENIUM

effect of oxidized fats is independent of vitamin E and, supply, 31

SENESCENCE

photochemical oxidation and autooxidation of chlorophyll phytyl side chain in phytoplanktonic cells during, 241

SERUM CHOLESTEROL

enzyme-resistant fractions of beans lowered, and increased sterol excretions and hepatic mRNA levels in rats, 919

SERUM PHYTOSTEROLS

aortic and, in rabbits fed sitosterol or sitostanol esters, 1115

SESAME SEED

comparative effects of flaxseed and, on vitamin E and cholesterol levels in rats, 1249

SESAMIN

sesame seed and its lignan, have strong lowering effect on concentrations of thiobarbituric acid-reactive substances, 1249

SHORT-CHAIN FATTY ACID

cecal, and fecal lipid concentrations, 919

SILVER-ION HIGH-PERFORMANCE LIQUID CHROMATOGRAPHY

detailed analysis of minor conjugated linoleic acid isomers achieved by, 657

SIMVASTATIN

decreased cholesterol synthesis and enhanced linoleic acid conversion, 841

SINGLE-CELL OIL

estimated pathway in ethanolysis of, 1281

SITOSTANOL

serum and aortic levels of photosterols in rabbits fed sitosterol or, ester preparations, 1115

SITOSTEROL

serum and aortic levels of photosterols in rabbits fed, or sitostanol ester preparations, 1115

SKELETAL MUSCLE

hypotriglyceridemic effect of dietary n-3 polyunsaturated fatty acids is associated with stimulation of fatty acid oxidation in the liver and to smaller extent in, 1023

long-chain fatty acid uptake by, is impaired in homozygous heart-type-fatty acid-binding protein null mice, 491

SMALL INTESTINE

digestion and assimilation features of dietary diacylglycerol in the, of the rat, 25

SOFT CORAL

prostanoid localization with a, 991

SOIL IMPACT

and nonpolar lipid composition of *Chenopodium album*, 567

SOLID FAT CONTENT

evaluation of, at various temperatures using differential scanning calorimeter, 913

SOLID-PHASE EXTRACTION

phospholipids present in surfactant homogenates separated by, procedure before high-performance chromatography analysis, 999

SOLUBILIZATION

modeling duodenal environment through, of carotenoids from carrot juice and spinach in lipid phases, 947

modeling gastric lumen through, of carotenoids from carrot juice and spinach in lipid phases, 933

SOLVENT

lipase-catalyzed methanolysis of triricinolein in organic, to produce 1,2(2,3)diricinolein, 1197

SOYBEAN OIL

diets containing high levels of, lead to high endogenous levels of n-6 fatty acids in Atlantic salmon hepatocytes, 833

SPECIFIC STRUCTURED TRIACYLGLYCEROL

production of, by batch interesterification of caprylic acid and linoleic acid, 903

SPHINGOLIPIDS

N-deacylase catalyzes condensation reaction between free fatty acids and, 855

SPHINGOMYELINASE

development of intestinal alkaline, in rat fetus and newborn rat, 545

SPINACH

modeling duodenal environment through solubilization of carotenoids from carrot juice and, in lipid phases, 947

SPLENOCYTE PROLIFERATION

effects of conjugated linoleic acid supplementation on, 377

SPRAGUE-DAWLEY RAT

importance of perinatal n-3 polyunsaturated fatty acid supply in control of blood pressure in adult, 459

SQUALENE-HOPENE CYCLASE

conjugated methyl sulfide and phenyl sulfide derivatives of oxidosqualene as inhibitors of oxidosqualene cyclase and, 201

STABILITY

oxidative, of n-3 fatty acids, 551

STABILIZATION

effect of conjugated linoleic acid on paraoxonase 1 investigated for protective action against oxidative inactivation and, activity, 615

STARVATION

effect of, on lipid metabolism and stability of docosahexaenoic acid in horse mackerel, 1263

STATIN

restoration of impaired hepatic fatty acid β -oxidation by administration of

- novel, to aromatase-deficient mice, 519
- STEARIC ACID**
triglycerides containing, synthesized from coconut oil exhibit lipidemic effects in rats similar to those of cocoa butter, 913
- STEAROYL-COENZYME A DESATURASE**
at end of feeding period, measured in liver subcellular fractions, 957
- STERIODS**
significant and long-term problems caused by, used in treatment of very-low-birth-weight preterm infants, 303
- STEROLS**
were found in the fatty acid methyl ester mixture from native 12-kDa protein complex, 769
- STERYLGLYCOSIDE**
increase in biosynthetic activity of, 1107
- e STILLMAN-SALGADO RATS**
hepatic $\Delta 9$ -, $\Delta 6$ -, and $\Delta 5$ -desaturations in non-insulin-dependent diabetes mellitus, 827
- STORAGE**
effect of, of diatom *Chaetoceros gracilis* on determination of lipid class composition, 1191
- STROKE-PRONE SPONTANEOUSLY HYPERTENSIVE RATS**
comparative health effects of margarines fortified with plant sterols and plant stanols on, 1237
- STRUCTURE-ACTIVITY RELATIONSHIP**
of lysophosphatidic acid, 1057
- STRUCTURED LIPIDS**
stearic acid-enriched, 913
- SUBSTRATE SELECTIVITY**
of mitochondrial acylcarnitine synthesis pathway, 485
- SUCKLING**
dietary α -linolenic acid increases n-3 polyunsaturated fatty acid content of sow's milk and tissues of, piglet, 1045
- SUCROSE DIET**
effect of, on hepatic activity of $\Delta 6$ - and $\Delta 5$ -desaturases, 733
- SULFOGLYCOLIPID**
chemical synthesizing of naturally occurring, 1065
- SULFOQUINOVOSYL DIACYLGLYCEROL**
potent inhibitor of mammalian deoxyribonucleic acid polymerases and deoxyribonucleic acid topoisomerase II, 1065
- SULFOQUINOVOSYL MONOACYLGLYCEROL**
potent inhibitor of mammalian deoxyribonucleic acid polymerases and deoxyribonucleic acid topoisomerase II, 1065
- SUNFLOWER OIL**
comparison of effects of dietary, and virgin olive oil on rat exocrine pancreatic secretion *in vivo*, 1119
- SUNFLOWERSEED OIL**
tentative identification and quantification of triacylglycerol core aldehydes as dinitrophenylhydrazones in autoxidized, using reversed-phase high-performance liquid chromatography with electrospray ionization mass spectrometry, 1179
- SURVIVAL**
dietary conjugated linoleic acid decreased weight loss and prolonged, in F1 hybrid New Zealand Black/White mice, 21
- Symbiodinium*
preparation of high-purity, fraction using protease and detergent, 991
- SYNTHESIS**
and isolation of *trans*-7,*cis*-9-conjugated linoleic acid, 579
tissue deposition of n-3 fatty acid pathway intermediates in the, of docosahexaenoic acid in rainbow trout, 925
- T**
- TAMOXIFEN**
potent antagonist of estrogen, 519
- TANDEM MASS SPECTROMETRY**
molecular level information of individual lipoprotein triacylglycerol regioisomers obtained with, method, 693
- TEMPERATURE**
influence of, and high dietary linoleic acid content on esterification, elongation, and desaturation of polyunsaturated fatty acids in Atlantic salmon hepatocytes, 833
- TEMPOL**
hydrophilic nitroxyl radical, 4-hydroxy-2,2,6,6-tetramethylpiperidine-N-oxyl, inhibited methyl linoleate oxidation induced by free radicals, 225
- TETRACOSAHEXAENOIC ACID**
metabolism of tetracosapentaenoic acid and, in human skin fibroblasts, 469
occurrence of high levels of, in the jellyfish *Aurelia* sp., 1207
- TETRACOSAPENTAENOIC ACID**
 $\Delta 6$ -desaturation required for conversion of, to docosahexaenoic acid, 469
- TETRAMETHYLAMMONIUM HYDROXIDE**
monogluthathion-S-yl derivative of γ -tocopheryl quinone subjected to thermolysis with, 973
- TETRASUBSTITUTED**
synthesis of novel trisubstituted and, C_{18} furan fatty esters, 1293
- THERMOCHEMOLYSIS**
of tocopheryl quinone adducts, 973
- THIN-LAYER CHROMATOGRAPHY IMMUNOSTAINING**
main gangliosides from bovine milk were purified by preparative, 761
- THIOBARBITURIC ACID-REACTIVE SUBSTANCES**
sesame seed and its lignan, sesamin, have strong lowering effect on concentrations of, 1249
- THIOGLYCOLATE ELICITATION**
of macrophages characterized by increased phagocytic capacity, plasma membrane turnover and high activity of lysosomal enzymes, 633
- TIME-RESOLVED FLUORESCENCE**
proteins purified and characterized by application to steroid receptor coactivator-1 binding assay using, 1149
- α -TOCOPHEROL(S)**
effect of temperature and, on trilinolein oxidation, 233
effect of vitamin E supplementation on, 813
may serve as hydrogen donors to suppress cyclization of internal hydroperoxy radicals, 65
- γ -TOCOPHEROL(S)**
differential effects of flaxseed and sesame seed on plasma and tissue, 1249
effect of vitamin E supplementation on, 813
- TOCOPHERYL QUINONES**
electrophile, in apoptosis and mutagenesis, 973
- TRANSACYLATION**
of buttermilk gangliosides, 855
- TRANSESTERIFICATION**
enzymatic, recommended for industrial-scale production of consumer goods, 855
- TREMATODE**
- TRIACYLGLYCEROL(S)**
chylomicron and very low density lipoprotein, structures, 693
digestion and assimilation of 1,3-diacylglycerol in the rat intestine may be responsible for reduction of postprandial serum, level, 25
docosahexaenoic acid in, decreased during starvation in horse mackerel, 1263
effect of conjugated linoleic acid supplementation on, 805
from seed oil of *Paullinia cupana* var. *sorbilis*, 773
hyperphagia modifies fatty acid profiles of plasma phospholipids, plasma free fatty acids, and adipose tissue, 1127
increased consumption of fish as source of n-3 fatty acids beneficially associated with levels of high density lipoprotein cholesterol and, 359
study as to whether conjugated linoleic acid isomers and other C_{18} fatty acids affect fatty acid synthesis from glucose in, and phospholipids of primary brown and white adipocytes, 1133
tentative identification and quantification of, core aldehydes as dinitrophenylhydrazones in autoxidized sunflower seed oil using reversed-phase high-performance liquid chromatography with electrospray ionization mass spectrometry, 1179
very long chain polyunsaturated fatty acids in murine testicular, and cholesterol esters, 73
fatty acids of, *Fasciola hepatica* native 12-kDa protein, 769
- TRIACYLGLYCEROL, ^{13}C -LABELED**
recoveries of rat lymph fatty acids after administration of specific structured, 903

TRIACYLGLYCEROL BIOSYNTHESIS

biosynthesis of membrane phospholipids closely linked to, in developing oilseeds, 651

TRIACYLGLYCEROL MONOHYDROPEROXIDES

simple chemical synthesis of, 1287

TRIACYLGLYCEROL SYNTHESIS

report of convenient chemical, 1287

TRIGLYCERIDE(S)

oral administration in hamsters of policosanol mixture isolated from sugar cane wax had no influence on levels of, 165

lipoprotein lipase major enzyme involved in hydrolysis of plasma, 687

TRILINOLEIN

effect of temperature and α -tocopherol on, oxidation, 233

TRISUBSTITUTED

synthesis of novel, and tetrasubstituted C_{18} furan fatty ester, 1293

TROLOX®

hydrophilic antioxidant, less effective in preventing cyclization of internal hydroperoxy radicals, 65

TROPICAL FISH

accumulation of specific fish fat deposits in flesh of, 399

TROUT

intermediate n-3 polyunsaturated fatty acids in, 925

TUMOR NECROSIS FACTOR- α

combined effects of essential fatty acids deficiency and, on circulating lipoproteins in rats, 595

TUNA OIL

fatty acid compositions at 2-position in cocoa fat, borage oil, and, analyzed by Grignard degradation and enzymatic ethanolysis, 1281

TUNICATES

phospholipid fatty acids from Indian Ocean, *Eudistoma bituminis* and *Cystodytes violatinctus*, 81

U**ULTRASONICATION**

effect of, and grinding on determination of lipid class content of microalgae harvested on filters, 1191

UNACTIVATED CARBON

functionalization of, in 3 α ,6- and 3 α ,24-dihydroxy-5 β -choleane derivatives by dimethyldioxirane, 281

UNCOUPLING PROTEIN

in primary brown adipocytes of Djungarian hamsters, 1133

UNSATURATED FATTY ACIDS

effects of c9,11-conjugated linoleic acid similar to those of other C_{18} , 1133

V**VACCENIC ACID**

converted to conjugated linoleic acid in cancer cells, 623

is abundant constituent of cyanolipid fraction from guaraná oil, 773

CIS-VACCENIC ACID

origin of, photodegradation products in marine environment, 1085

TRANS-VACCENIC ACID

conjugated linoleic acid and, in milk fat, 657

VASODILATION

fatty acids and endothelium-dependent, 15

VERY LONG CHAIN POLYENOIC FATTY ACIDS

role of, in sustaining spermatogenesis in mammalian testis, 73

VERY LONG CHAIN POLYUNSATURATED FATTY ACIDS

generally occur only as minor components in marine organisms, 1207

VERY LOW DENSITY LIPOPROTEIN

chylomicron and, triacylglycerol structures, 693

role of lipoprotein lipase and apolipoprotein C-II in, metabolism, 687

VERY LOW DENSITY LIPOPROTEIN SECRETION

activation of cholesteryl ester metabolism and biliary cholesterol secretion and inhibition of, 53

VITAMIN E

comparative effects of flaxseed and sesame seed on, and cholesterol levels in rats, 1249

effect of oxidized fats is independent of, and selenium supply, 31

W**WATER ACTIVITY**

lower, gave higher yield of diricinolein with any enzymes in any solvents generally, 1197

WATER TEMPERATURE

interactive effects of dietary palm oil concentration and, on lipid digestibility in rainbow trout, 1031

WEANING

short-term, had no effect on alkaline sphingomyelinase activity, 545

WEEDS

group of plants with great adaptability to environmental changes, 567

WESTERN BLOT

analysis of hormone-sensitive lipase in 3T3-L1 adipocytes by, 743

Z**ZOOXANTHELLAE**

contain mainly glycolipids and few phospholipids, 991

